
Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.



62,73

WHOLESALE TRADE LIST





RETINISPORA PISIFERA AUREA

Thomas Meehan & Sons, Inc.

WHOLESALE NURSERYMEN

WHOLESALE DEPARTMENT

Dreshertown, Montg. Co., Pennsylvania

300 ACRES

Founded 1854 by Thomas Meehan Incorporated 1902 Capital Stock, \$100,000

J. Franklin Mechan, President S. Mendelson Mechan, Vice-Pres. Thomas B. Mechan, Sec. and Treas.

Wholesale Trade List

FALL 1907

N preparing this, our Wholesale Trade List for Fall 1907, we have aimed to present our large collection of Hardy Ornamentals to the purchaser in the most concise form. With this object in mind and in view of the fact that it is intended for the trade, illustrations and descriptions have been purposely omitted. To those unacquainted with the stock, however, we will gladly furnish descriptive matter upon In fact, we delight in giving information pertaining to Hardy Ornamental Plants and inquiries are solicited.

Customers are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named we forward to the best of our judgment.

Responsibility -After goods are placed on board cars here we assume no responsibility for their safe or prompt delivery, or any injury caused by delay in delivery by the transportation company.

All Claims MUST BE MADE UPON RECEIPT OF GOODS.

Terms Cash, on or before delivery to express or railroad agents, unless by special arrangement.

Two Hundred and Fifty, twenty-five and five will be furnished at the thousand, hundred and ten rates respectively.

Packing Charged Extra, but only sufficient to cover cost of time and material.

Post Office Orders payable at Dreshertown, Montgomery Co., Pa. Telegraph Office, Dresher, Pa.

Visitors are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for Camp Hill Station, or at Broad Street Station, Pennsylvania R. R., for Fort Hill Station. Be sure that the train you take stops at these stations.

Notice.—It is necessary that you should Telephone us (Bell Phone, 226 Ambler; Keystone Phone, 76-Y Jenkintown), in advance your coming, so that we can send a carriage to the station for you. Our office is 21/2 miles from either station.

THE COMMONWEALTH OF PENNSYLVANIA

DEPARTMENT OF ACRICULTURE

Certificate of Inspection of Nursery Stock No. 1115.

This is to certify that the stock in the nursery of THOMAS MEEHAN & SONS, INC., of Dreshertown, County of Montgomery, State of Pennsylvania, was duly examined in compliance with the provisions of the Act of Legislature of Pennsylvania, approved the 31st day of March, A. D., 1905, and it was found to be apparently free from San Jose Scale and other dangerously injurious insect pest or pests.

This Certificate expires August 31, 1908 N. B. Critchfield, Dated Harrisburg, Pa., Sept. 9, 1907. P. H. HERTZOG, Inspector.

Secretary of Agriculture.

Deciduous Trees

The price of nursery stock is fixed according to the value of the tree offered. The value of the tree depends entirely upon the character of the stock and it is this "value" which makes prices differ in the catalogues of nurserymen. Stock that is sold at a low price is grown with the least possible expense put upon it, but at a sacrifice to the "quality." Stock that is thoroughly cultivated, grown in good soil, well manured and several times transplanted cannot be grown cheaply, but its "value" to the planter is increased, and in the long run such stock is cheaper than poorly grown stock at a "low price."

We bring up-to-date methods into the production of our goods. Our soil is especially adapted for the growing of good nursery stock. We spend thousands of dollars yearly in manures and in cultivating; besides this our trees are frequently transplanted. We cull out and burn all crooked and imperfect trees so that our customers receive full value for

the prices charged.

Intending purchasers of nursery stock should keep this in mind when comparing our prices with others. A visit to our nurseries will convince any one of the statement we make.

We call particular attention of customers to the trees marked "Specimens." These are trees that have been frequently transplanted, set wide apart in nursery rows and are well developed in every way.

		Per 10	Per 100	Per 1000
Acer	campestre, English Cork Maple			
	2 to 3 ft	2 50	20 00	
	3 to 4 ft	3 00	25 00	
46	colchicum rubrum, Colchican Map	le		
	2 to 2½ in. calliper			
44	dasycarpum, Silver Maple			
	1½ to 1¾ in. calliper	3 75	35 00	
	1 3/4 to 2 in. calliper	5 50	50 00	
	2 to 2½ in. calliper	8 00	75 00	
	2 to 2½ in. calliper, specimens	12 50		
	2½ to 3 in. calliper, specimens	15 00		
	3 to 3½ in. calliper, specimens			
**			In the Page	
	dasycarpum Weirii, Weir's Cut-lea		le	
	8 to 10 ft			
	2 to 2½ in. calliper	10 00		
	$2\frac{1}{2}$ to 3 in. calliper	15 00 20 00		
	2 to 2½ in. calliper, specimens	15 00		
	2½ to 3 in. calliper, specimens			
	3 to 3½ in. calliper, specimens			
	3½ to 4 in. calliper, specimens			
	4 to 5 in. calliper, specimens	40 00		
	negundo, Ash-leaved Maple, Box E	lder		
	8 to 10 ft		17 50	
	10 to 12 ft	2 50	20 00	
	1½ to 2 in. calliper		30 00	
	2 to 2½ in. calliper		50 00	
	2½ to 3 in. calliper		75 00	
	3 to $3\frac{1}{2}$ in. calliper	12 50 15 00		
	4 to 5 in, calliper			
	. to o mi, competition in the contract of	20 00		

	Pe	r 10	Per 100	Per 1000
Acer	Pennsylvanicum (striatum), Striped	Ma	ple	
	2 to 3 ft	0.0	25 00	
	4 to 6 ft	00	40 00	
	6 to 8 ft 6			
16	platanoides, Norway Maple			
	5 to 6 ft	75	$\frac{25}{35} \frac{00}{00}$	
	8 to 10 ft 5	0.0	99 00	
	1½ to 1¾ in. calliper 7	50		
	1 3/4 to 2 in. calliper	0.0		
	2½ to 3 in. calliper20	0.0		
	2 to 2½ in. calliper. 15 2½ to 3 in. calliper. 20 3 to 3½ in. calliper. 25 3½ to 4 in. calliper. 30	00		
	$2\frac{1}{2}$ to 3 in. calliper, specimens25	0.0		
	3 to 3½ in. calliper, specimens30	00		
66	platanoides Schwedlerii, Purple-leave	d N	lorway	Maple
	1½ to 2 in. calliper	50		
	1½ to 2 in. calliper. 12 2 to 2½ in. calliper. 17 2½ to 3 in. calliper. 25	00		
A	3 to 3½ in. calliper30 platanoides Reitenbachii, Purple-leave	00		Manla
Acer	1½ to 2 in. calliper		orway	wapie
66	pseudo-platanus, Sycamore Maple	00		
	5 to 6 ft	75	15 00	
	5 to 6 ft	75	25 00	
- 66			35 00	
	pseudo-platanus purpurea, Purple-lea 1½ to 2 in. calliper		Sycam	ore
44	rubrum, Red or Scarlet Maple	00		
7.17	4 to 6 ft	75	35 00	
	6 to 8 ft 4	0.0		
**	saccharinum, Sugar or Rock Maple			
	6 to 8 ft	50	30 00 40 00	
	$1\frac{1}{4}$ to $1\frac{1}{2}$ in. calliper 5	00	10 00	
	1 ½ to 1 ½ in. calliper. 5 1 ½ to 1 ¾ in. calliper. 7 1 ¾ to 2 in. calliper. 10 2 to 2 ½ in. calliper. 15 2 ½ to 3 in. calliper, specimens. 20 2 to 2 ½ in. calliper, specimens. 25	50		
	2 to 2½ in. calliper	00		
	2½ to 3 in. calliper, specimens20 3 to 3½ in. calliper, specimens25	00		
	3½ to 4 in. calliper, specimens30			
66	saccharinum nigrum, Black Sugar Ma	aple		
	6 to 8 ft	50		
	8 to 10 ft	50		
	1 % to 2 in. calliper10	0.0		
"	4 to 5 in. calliper, specimens50	00		
и	striatum (see Pennsylvanicum)			
••	spicatum, Mountain Maple	50		
	3 to 4 ft	50		
**	Tataricum, Tartarian Maple			
	3 to 4 ft 3	50		
44	Tataricum Ginnala			
	4 to 5 ft	0.0	25 00 35 00	
	5 to 6 ft., very bushy	00	50 00	

JAPANESE MAPLES

Our Japanese Maples are not imported stock. They are propagated and grown here. Imported stock is poorly rooted, hide-bound and of irregular shape. It rarely succeeds and is frequently not true to name. We have been propagating our own Japanese Maples for thirty-five years and our stock will succeed where imported plants fail. The polymorphum atropurpureum are grown from layers, consequently on their own roots, and are very bushy plants. The pot grown plants are especially adapted for fall planting. They will be shipped with the ball unbroken.

- 1		Pe	r 10	Per	100	Per	1000
Acer	Japonicum, Green-leaved						
	2½ to 3 ft. field grown	$.15 \\ .17$	50				
	3 to 4 ft. field grown	.20	00				
**	Japonicum aconitifolium, Green-la 18 to 24 in. field grown						
	2 to 2½ ft. 6 in. pots	.17	50				
44	2½ to 3 ft. field grown		00				
	18 to 24 in. field grown		50				
	2 to 2½ ft. field grown	.15	00				
		.11	50				
	2 to 2 1/6 ft. field grown	.15	0.0				
	2 to 2½ ft. field grown	.17	50				
44	polymorphum, Green-leaved	_	0.0				
	18 to 24 in. field grown	. 7	00 50				
	2½ to 3 ft. field grown	.10	00 50				
	3 to 4 ft. field grown	.17	50				
	5 to 6 ft. field grown, specimens	.35	00				
- 66	polymorphum ampelopsilobum						
	18 to 24 in. field grown	.12	50				
	2 to 2½ ft. 6 in. pots. 2½ to 3 ft. field grown. 3 to 3½ ft. field grown.	.15	00				
	4 to 6 ft. field grown, specimens	.17	00				
	6 to 8 ft. field grown, specimens	.40	00				
- 44	polymorphum atropurpureum, Bloc	od-l	eave		0.0		
	18 to 24 in. field grown	. 10	00	75 85	00		
	2 to 2½ ft. 5 in. pots	.15	00	135	00.		
	12 to 18 in. field grown	.50	00				
Acer	polymorphum cristatum, Green Fe	rn-	leav	ed			
	18 to 24 in. field grown	.12	00				
	polymorphum dissectum, Green C	12	leav	ed			
	2 ft. field grown	.15	00				
44							G.,,
	leaved leaved			1, F	urpi	e	Cut
	18 to 24 in. field grown. 2 to 2½ ft. field grown. 2½ to 3 ft. field grown. 2½ to 3 ft. field grown, specimens. 3 fo 3½ ft. 6 in pote	.12	50				
	2 to 2½ it. field grown 2½ to 3 ft. field grown	.15	50				
	2½ to 3 ft. field grown, specimens. 3 to 3½ ft. 6 in. pots	.30	00				
- 11	polymorphum pinnatifolium, Green						
	2 to 2½ ft. field grown 2 to 2½ ft. 6 in. pots	.15	00				
**							
	18 to 24 in. field grown			m			
	2½ to 3 ft. field grown						
**	polymorphum reticulatum		-				
	18 to 24 in. field grown 2 to 2½ ft. field grown						
Aeso	culus glabra, Ohio Buckeye						
	10 to 12 ft. 2½ in. calliper	.15	00				
Aesc	culus hippocastanum, Eu. Horse Che						
	4 to 6 ft. 6 to 8 ft. 1½ to 1¾ in. calliper. 1¾ to 2 in. calliper. 2 to 2½ in. calliper. 2½ to 3 in. calliper.	. 3	00	25 45	00		
	1½ to 1¾ in. calliper	. 6	00				
	2 to 2½ in. calliper	.12	50	65 100	00		
	2½ to 3 in. calliper	.17	50				

	er 10 Per 100 Per 1000
Aesculus hippocastanum alba plena, Doubl	e White Flowered
1 1/2 to 1 3/4 in. calliper10	00 90 00
6 to 8 ft. 6 1½ to 1¾ in. calliper. 10 1¾ to 2 in. calliper. 12 2 to 2½ in. calliper. 15	50
" hippocastanum rubra plena, Double	Red
6 to 8 ft	00
8 to 10 ft	00
Ailanthus glandulosa, female, Tree of He	
3 to 4 ft	50
4 to 5 ft	50
Alnus glutinosa, European Alder	00
3 to 3½ in. calliper10	00
3½ to 4 in. calliper	00
	00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00 50 00
2½ to 3 in. calliper	50
3½ to 4 in. calliper	00
4 to 5 in. calliper	50
" serrulata (rugosa) 2 to 3 ft	00
3 to 4 ft 3	50
4 to 5 ft. specimens	50
Amygdalus Persica, Double Pink Flowerin	ng Peach
3 to 4 ft	00
6 to 8 ft	50 30 00
" Persica, Double White Flowering Pea 3 to 4 ft	ich
6 to 8 ft	50 30 00
" Persica Double Red Flowering Peach	
4 to 5 ft	50 50 30 00
Aralia Japonica	30 30 00
1 to 2 ft 1	00 8 00
2 to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft	50
" Mandshurica (Dimorpanthus)	
1 to 2 ft	
3 to 4 ft	
" spinosa	
3 to 4 ft	75 00
5 to 6 ft	50
Betula alba, Eu. White Birch	
2 to 3 ft	
5 to 6 ft	75 15 00
6 to 8 ft	50 20 00 50 30 00
10 to 12 ft 5	00 40 00
12 to 14 ft	
" alba laciniata, Cut-leaf Weeping Bir 6 to 8 ft	
" alba pendula Youngii	00
8 to 10 ft. 2 year heads10	00
" lutea, Yellow Birch	
5 to 7 ft 3	50 30 00
" populifolia, Poplar Birch	00
3 to 4 ft	50 40 00
" rubra (nigra), Red or Water Birch	
5 to 6 ft	50 30 00
6 to 8 ft	00 50 50 00
Our Birches are all bushy trees branche	

Successful the same of the same	Per	10	Per	100	Per 1000
Caragana arborescens pendula					
5 to 6 ft. 2 year heads	7 3	50			
			Pa	aah	
Carpinus Americana, Am. Hornbeam or 3 to 4 ft			De	ecn	
4 to 6 ft	2	75	25		
4 to 6 ft. 6 to 8 ft. heavy. 8 to 10 ft. heavy.	4 (0.0	35 50		
	0 1	00	30	00	
" Betulus, European Hornbeam 18 to 24 in	1 :	2.5	10	0.0	
These European Hornbeam have been			-		ially for
hedge planting.	. 9.		. 00	poo	iany ioi
Carya amara					
2 to 3 ft	. 1	25	10	0.0	
2 to 3 ft	2	00		00	
Carya olivaeformis, Pecan					
2 to 3 ft	. 2	00	0.0	0.0	
	. 2	50	20	00	
Catalpa bignonoides & to 10 ft	9	50	- 20	00	
Catalpa bignonoides aurea, Golden Cata		30	20	00	
4 to 6 ft	ipa 3	5.0			
4 to 6 ft	. 5	00			
	. 7	50			
" Bungeii, Standard	-	- 0	- 0	0.0	1
2 year heads	. Э	50	50	00	*
Buridell flaffa, Dwaff Catalba	9	5.0			
2 to 3 ft 3 to 4 ft. X.X. 4 to 4½ ft. X.X.X. 5 to 6 ft. X.X.X.	. 3	$\frac{50}{50}$			
4 to 4½ ft. X.X.X.	. 5	00			
5 to 6 It. A.A.A	. 1	50			
Catalpa Kaempferi, Japanese	157	-		1	
3 to 4 ft	. 1	75	15	00	G V IV I
		20	20	00	
speciosa, western Catalpa	1	75	15	00	
6 to 8 ft 8 to 10 ft	. 2	25	20		1
1½ to 2 in. calliper	. 3	50		00	
2 to 2½ in. calliper	. 6	50	60 80		
1½ to 2 in. calliper 2 to 2½ in. calliper 2½ to 3 in. calliper 3 to 3½ in. calliper 3 to 4 in. calliper	.12	50	100	0.0	Mark Land
3½ to 4 in. calliper	.15	0.0	125	00	
2½ to 3 in. calliper, specimens	.15	00			
3 to 3 % in. calliper, specimens	.20	.00			
3½ to 4 in. calliper, specimens	.25	00			
Cedrelia sinensis					
2 to 3 ft	. 3	50	25	00	
4 to 5 ft	. 4	00	35	00	
5 to 6 ft	. 5	00	40 50		
10 to 12 ft. 2 to 2½ in. calliper	.10	00		00	
2½ to 3 in. camper	.14	90			
3 to 3½ in. calliper		00			
The Cedrelia sinensis is a tree simi					
general character and habit to the Ails					
under similar conditions, but it does not	t na	ve '	tne	uisa	greeable

The Cedrelia sinensis is a tree similar in appearance and general character and habit to the Ailanthus, and will thrive under similar conditions, but it does not have the disagreeable odor when in flower. It is without doubt one of the best trees for street planting in cities and will thrive where no other tree will grow.

" sinensis ranunculaeflora, Double White Flowering Cherry 3 to 4 ft...... 3 50

Construct district the second			Per 1000
Cerasus sinensis rosea pendula, Weeping 2 year heads		FI. Che	erry
" Padus.			
4 to 5 ft	2 00		
Scrotina, American bird Cherry	4 00		
10 to 12 ft 2 to 3 in. calliper	5 00		
Cercis Canadensis and Japonica, see sh	rubs		
Cladrastis tinctoris (Virgilia lutea), Yel	low W	ood	
3 to 4 ft	5 00		
Cornus florida, White Flowered Dogwood	1 25	10 00	
18 to 24 in	1 75	15 00 20 00	
3 to 4 ft. 5 to 6 ft. 6 to 8 ft.	3 75	35 00	
		50 00	330 1100
nortua periadia, weeping willed I	3 00	a Dogv	vood
12 to 18 in. 1 year heads 4 to 5 ft			
" florida rubra, Red Flowered Dogwo	od 2 75	25 00	
18 to 24 in	3 75	35 00	
3 to 4 ft. 5 to 6 ft. 6 to 8 ft.	10 00	50 00	
	12 50		
Crataegus (See Shrubs			
Dimorpanthus Mandschurica (see Aralia	Mand	schuric	a)
Diospyrus Virginiana, American Persim	mon	25 00	
4 to 6 ft. 6 to 8 ft. 8 to 10 ft.	2 75 3 75 5 50	35 00 50 00	
Fagus ferruginea, American Beech			
3 to 4 ft. 5 to 6 ft. 6 to 8 ft.	4 50		
6 to 8 ft	10 00		
" sylvatica, European Beech			20.00
18 to 24 in	1 75	9 00 15 00	80 00
1 ft 18 to 24 in 2 to 3 ft 3 to 4 ft	2 25 2 75	$\begin{array}{cccc} 20 & 00 \\ 25 & 00 \end{array}$	
" sylvatica asplenifolia, Fern-leaf Be			
2 to 3 ft	7 50		
" heterophylla, Çut-leaved Beech	2 00		
2 to 3 ft	3 00		
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 4½ ft.	5 00 6 00		
Fagus pendula, Weeping Beech			
2 to 3 ft	4 00		
6 to 8 ft	10 00		
" purpurea, Copper Beech	2 50	20 00	
2 to 3 ft.	3 50	30 00 35 00	
" purpurea, Copper Beech 18 to 24 in	5 00	35 00	
" Rivers' Blood-leaf Beech			
3 to 4 ft. 5 to 6 ft. 9 to 10 ft. 8 to 10 ft. specimens, with ball	6 00		
9 to 10 ft 8 to 10 ft. specimens, with ball	8 50 35 00		
There 0 to 10 ft		ad land	!

These 8 to 10 ft. specimens were transplanted last spring, and will be shipped with a ball of earth, and the ball sewed in burlap.

	Per 10	00 Per 1000
Fraxinus Americana, American White Ash	15 0	0
5 to 6 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0
8 to 10 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0
8 to 10 ft	40 0	0
" excelsior, English Ash	•	
6 to 8 ft	20 0	0
" excelsior aurea, Golden Ash		
6 to 8 ft 4 00		
" excelsior heterophylla, Cut-leaved Ash 8 to 10 ft		
" éxcelsior aucubaefolia		
6 to 8 ft		
" Ornus, Flowering Ash		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	• 50 0	0
2 to 2 ½ in. calliper	75 0	
" quadrangulata, Blue Ash		
8 to 10 ft	35 0	0
$\frac{1}{2}$ to 2 in. calliper 5 00 2 to $\frac{2}{2}$ in. calliper 7 50		
" sambucifolia, Black Ash		
6 to 8 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
This is the variety known in the vicinity of	Chica	igo as the
"Bronze Ash."		
4 to 6 ft		
6 to 8 ft. 2 50 8 to 10 ft. 3 00 1½ to 2 in. calliper. 4 50	$\begin{array}{ccc} 20 & 0 \\ 25 & 0 \end{array}$	
1½ to 2 in. calliper	40 0	0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	90 0	U
3 to 3½ in. calliper		
18 to 24 in 75	7 0	
2 to 3 ft	$\begin{array}{ccc} & 9 & 0 \\ & 12 & 0 \end{array}$	
4 to 6 ft	15 0	
8 to 10 it 4 00		
" inermis, Thornless		
3 to 4 ft		
Gymnocladus canadensis, Kentucky Coffee Tre	20 0	0
4 to 6 ft	25 0	0
1½ to 2 in. calliper 5 00	35 0	U
Juglans cineria, Butternut	10.0	
4 to 6 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
" nigra, Black Walnut	42.0	
2 to 3 ft	$\begin{array}{cccc} 12 & 0 \\ 18 & 0 \end{array}$	0
	20 0	0
" regia, English Walnut, Madera Nut	20 0	0
4 to 5 ft		
Koelreuteria paniculata, Japanese Varnish Ti	ree	•
5 to 6 ft	35 0	U
Larix Europaea, European Larch	25 0	0
3 to 4 ft	35 0	Ŏ

Per 10 Per 100 Per 1000
Liquidambar styraciflua, Sweet Gum
3 to 4 ft
4 to 6 ft
Liquidambar grown from seeds or seedlings produced In
the south are not hardy as far north as Philadelphia. There
are a few native trees in Eastern Pennsylvania. We gather
seed from these trees and grow our own seedlings, and as a
result our trees are hardy much farther north and west.
Liriodendron tulipifera, Tulip Tree
4 to 5 ft

4 to	5 ft	1	75 15 00
	6 ft		
	8 ft		
Magnolia A	Acuminata		
3 to	4 ft	2	50
5 to	6 ft	3	75 35 00
" glauca	a, Swamp White	Magnolia	
2 to	2½ ft	5	00
Magnolia k	Cobus		
3 to	4 ft	5	0.0
4 to	5 ft	7	50
°6 to	8 ft. specimens	25	0.0
" tripete	ela		
2 to	3 ft	2	25 20 00
3 to	4 ft	2	75 25 00
	8 ft		

	MAGNOLIAS
	Large Flowered Chinese Varieties
44	Alexandrina 2½ to 3 ft. with ball. 10 00' 3 to 4 ft. with ball. 12 50 4 to 5 ft. with ball. 13 50
44	conspicua, Chinese White Magnolia 18 to 24 in. with ball. 8 50 75 00 2 to 3 ft. with ball. 12 50 100 00 3 to 4 ft. with ball. 13 50 4 to 5 ft. with ball. 15 00 135 00 5 to 6 ft. with ball. 17 50 150 00
и	gracilis, purple 18 to 24 in. with ball 8 50
"	Lennei, Large Purple Flowered 2½ to 3 ft. with ball 10 00 3 to 4 ft. with ball 12 50 4 to 4½ ft. with ball 13 50
"	purpurea 8 50 18 to 24 in. with ball 10 00 2 to 2½ ft. with ball 10 00 2½ to 3 ft. with ball 12 50 4 to 5 ft. with ball 13 50
"	Soulangeana, Large Pink Flowered Magnolia 2 to 3 ft. with ball. 7 50 60 00 3 to 4 ft. with ball. 12 50 100 00
	12 to 18 in. with ball
44	stellata (Halleana), Hall's White Star Flowered 12 to 18 in. with ball. 7 50 60 00 2 to 3 ft. with ball. 12 50 100 00 3 to 4 ft. with ball heavy. 17 50 150 00

All of the above Magnolias are of our own propagating and growing, from layers, and are on their own roots. These are much healthier and better than imported stock; this is especially the case with the Halleana. Each plant will be dug with a ball of earth and the ball sewed in burlap. The conspicua are the true pure white variety.

1			
the second secon	Per 10	Per 100	Per 1000
Morus Tartarica, Russian Mulberry	1 05	10.00	
3 to 4 ft	1 50	10 00	
6 to 8 ft	2 50		
Tea's Weeping Mulberry 2 year heads	7 50		. ,
Negundo aceroides. (See Acer negundo	o, page	1.)	
Nyssa multiflora, Sour Gum	, ,		
2 to 3 ft	3 50		1.0
Phellodendron amurense, Chinese Cork	Tree		
8 ft	. 3 50 . 5 00		
	12 50		
Platanus occidentalis 6 to 7 ft	. 2 25	20 00	
" orientalis, European Sycamore, Eu	iropeai . 2 00	18 00	
6 to 8 ft	2 25	18 00 20 00 30 00	
1½ to 1¾ in. calliper	7 50	65.00 90.00	- 5
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 1½ to 1¾ in. calliper.	.10 00	90 00	
1/4 to 2 m. camper, for branched.	12 50		
Populus alba (argentea), Silver Poplar 6 to 8 ft., low branched	2 25	20 00	
6 to 8 ft., low branched. 8 to 10 ft., low branched. 10 to 12 ft. 12 to 14 ft.	2 50		
12 to 14 ft	5 00		
" Balsamifera, Balsam Poplar	2 00	15.00	
6 to 8 ft	3 00	15 00	
Populus Bolleana, Pyramidal Silver Pop	lar	9= 00:	
8 to 10 ft. low branched	3 50	25 00	
2 to 2½ in. calliper 2 to 2½ in. calliper. specimens	7 50 15 00		
6 to 8 ft. low branched	20 00		
" fastigiata, Lombardy Poplar			
6 to 8 ft., low branched 8 to 10 ft., low branched	2 50		
Il mamilifana Canalina Danian			
3 to 4 ft	1 25	10 00	
7 to 8 ft	1 75	$\frac{12}{15} \frac{00}{00}$	
3 to 4 ft	20 00		
5 to 6 in. calliper, specimens	. 25 00		
Prunus Pissardi, Purple-leaved Plum 5 to 6 ft	. 2 00		
Pterostyrax hispidum			
5 to 6 ft		35 00	
Pyrus Bechtel's Double Flowering (Ione			
2 to 3 ft	2 50		
4 to 5 ft	. 3 30		
18 to 24 in	2 50		
2 to 3 ft	3 00		
4 to 5 ft	. 3 75	30 00	
" floribunda atrosanguinea 4 to 5 ft	9 77	90.00	
" floribunda, Hillside	. 5 75	30 00	
4 to 5 ft	3 75	30 00	
" Toringo	9 75		
4 to 6 ft	4 00		

OAKS

Years ago we began advocating the planting of Oaks for all general purposes; now planters realize their merits. Now they are used for every purpose. They are planted on boulevards, avenues in parks and cemeteries and more recently in the cities. It makes a permanent tree, very free from insects and is unsurpassed by any other shade tree. The Pin Oak is particularly adapted for side-walk planting in cities and seems to thrive under the adverse conditions usually found in such places.

round in odon places	Don 10	Don 10	0 Per 1000
Quercus alba, True White Oak		rei io	0 1 61 1000
2 to 3 ft. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper. 2½ to 3 in. calliper.	. 4 25	30 00 40 00 60 00 100 00 125 00))
" aquatica, Water Oak 3 to 4 ft	. 3 50 . 5 00		4
Quercus bicolor, Swamp White Oak			
6 to 8 ft. 8 to 10 ft. 1½ to 2 in. calliper 2 to 2½ in. calliper 2½ to 3 in. calliper 3 to 3½ in. calliper 4 to 4½ in. calliper	. 7 50 .10 00 .12 50 .13 50 .20 00 .25 00 .40 00	150 00)
" cerris, Turkey Oak			
8 to 10 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper. 2 ½ to 3 in. calliper. 3 to 3½ in. calliper. 3½ to 4 in. calliper.	. 40 00		
" coccinea, Scarlet Oak			
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 1½ to 2 in, calliper. 2 to 2½ in. calliper. 2½ to 3 in. calliper. 3 to 3½ in. calliper.	. 6 25 . 8 00 .10 00 .12 50 .15 00 .20 00 .25 00	60 00 75 00	
" macrocarpa, Mossy Cup or Burr C)ak		
6 to 8 ft. 8 to 10 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper. 2½ to 3 in. calliper.	. 5 00 . 8 00 .12 50 .13 50 .20 00	75 00 100 00	
" nigra, Black Jack Oak 6 to 8 ft	. 5 00		
" palustris, Pin Oak			
5 to 6 ft. 6 to 7 ft. 8 to 10 ft. 1½ to 2 in. calliper 2 to 2½ in. calliper. 2 ½ to 3 in. calliper. 2 to 2½ in. calliper. 2 to 2½ in. calliper. 3 to 4 in. calliper, specimens. 2 ½ to 3 in. calliper, specimens. 3 to 3½ in. calliper, specimens. 3 ½ to 4 in. calliper, specimens. 4 to 5 in. calliper, specimens.	. 5 00 . 7 00 . 9 00 . 17 50 . 22 50 . 30 00 . 22 50 . 27 50 . 40 00	35 00 45 00 65 00 85 00 150 00 200 00	
" palustri-imbricaria	9 00	85 00	
11/4 to 2 in. calliper	. 17 50 . 22 50 . 30 00	150 00	

Quercus Phellos, Willow Oak	Per 10	Per 100	Per 100
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 1½ to 2 in. calliper 2 to 2½ in. calliper 2 ½ to 3 in. calliper 3 ½ to 3½ in. calliper 3 to 3½ in. calliper 3 to 3½ in. calliper 3½ to 4 in. calliper "Prinus, Rock Chestnut Oak	. 5 50 7 50	30 00 35 00 50 00 60 00	
4 to 6 ft. 6 to 8 ft. 8 to 10 ft. 1½ to 2 in calliper. 2 to 2½ in calliper. 2½ to 3 in calliper. 3 to 3½ in calliper.	4 00 5 50 9 00 .12 50 .13 50 .20 00 .25 00	$\begin{array}{c} 35.00 \\ 50.00 \\ 85.00 \\ 100.00 \\ 125.00 \\ 150.00 \end{array}$	
" robur, English Oak 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 1½ to 2 in. calliper. 2 to 2½ in. calliper. 2½ to 3 in. calliper. 3 to 3½ in. calliper.	5 00	60 00	
Sto 6 ft. Sto 6 ft. Sto 10 ft. Sto 2 1/2 fo. calliper. Sto 2 1/2 fo. calliper. Sto 3 1/2 fo. calliper. Sto 1 1/2 fo. call	$\begin{array}{cccc} 6 & 50 \\ 8 & 00 \\ 12 & 50 \\ 17 & 50 \\ 20 & 00 \end{array}$	$\begin{array}{cccc} 40 & 00 \\ 60 & 00 \\ 75 & 00 \\ 100 & 00 \\ 150 & 00 \\ \end{array}$	
# tinctoria, Black Oak 5 to 6 ft	$ \begin{array}{cccc} 12 & 50 \\ 15 & 00 \\ 20 & 00 \end{array} $	$\begin{array}{ccc} 40 & 00 \\ 60 & 00 \\ 75 & 00 \\ 100 & 00 \end{array}$	
3 to 4 ft. 4 to 6 ft. 6 to 8 ft. 12 to 14 ft. salisburia adiantifolia, Gingko, Maiden I 4 to 6 ft. 6 to 8 ft.	75 1 00 1 50 5 00 Hair 2 25 3 75	5 00 7 00 10 00 20 00 35 00	60 00 80 00
8 to 10 ft	5 00 eping V	Villow	
" Babylonica, Babylonian Weeping No. 10 ft	Willow		
4 to 6 ft	2 00	18 00	
" petandra, Laurel-leaved Willow 3 to 4 ft	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \\ 1 & 75 \end{array}$	$\begin{array}{ccc} 8 & 00 \\ 12 & 00 \\ 15 & 00 \end{array}$	
" regalis, Royal or White-leaved 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. " rosmarinifolia, Rosmary Willow	1 50 2 00 3 00		
** vitellina, Golden Bark 4 to 5 ft. 5 to 6 ft.		12 00	
assafrass officinale 3 to 4 ft. 5 to 6 ft.	T 10		

Cong. 11 6"for 1 61 (67)	Per 10 Per 100 Per 1000
Sophora Japonica	1 50
Sophora Japonica 18 to 24 in 2 to 3 ft 3 to 4 ft	1 75 15 00
3 to 4 ft	3 50
" Japonica pendula, Weeping So	phora
6 to 8 ft. 2 year heads	
Sorbus aucuparia, European Mounta	
6 to 7 ft	2 00 18 00
" aucuparia quercifolia, Oak-leav	red Mountain Ash
2 to 3 ft	
Styrax Obassia	
2 to 3 ft	2 00
3 to 4 ft	4 00
Taxodium distichium, Bald or Decid	uous Cypress
12 to 18 in	1 00 6 00 2 40 00
12 to 18 in 3 to 4 ft 4 to 6 ft	3 00
Tilia Americana, American Linden	
4 to 6 ft	3 00
6 to 8 ft	3 50
1½ to 2 in. calliper	7 50
4 to 6 ft	15 00
" alba pendula, Weeping Linder	1
8 to 10 ft. 3 year heads	12 50
Tilia dasystila	
10 to 12 ft	
" plataphylla, Large-leaved Euro	opean Linden
4 to 6 ft. 6 to 8 ft. 2½ to 3 in. calliper. 3 to 3½ in. calliper. 3½ to 4 in. calliper. 4 to 5 in. calliper.	3 50
2½ to 3 in. calliper	15 00
3 to 3½ in, calliper	17 50
4 to 5 in. calliper	30 00
Ulmus Americana, American Elm	
$1\frac{9}{4}$ to 2 in calliper	6 00
2 to 2½ in. calliper	10 00 85 00
2½ to 3 in. calliper, specimens	20 00
" Camperdown pendula	
8 to 10 ft. 2 year heads	10 00
" parvifolia, Japanese Elm	
2½ to 3 ft	2 50
3 to 4 ft	3 50
2 ½ to 3 ft. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft.	7 50
The Ulmus parvifolia is a Japan this country. It does not make a la	ese species, very nardy in
growing habit. The leaves are sm	
green and remain on the tree late	
able variety for ornamental planting	
" purpurea 2 to 2½ in. calliper, specimens	19 50
	2 90
" latifolia	10 00
2 to 2½ in. calliper 3 to 3½ in. calliper	30 00
" Huntington ' 2 to 21/2 in, calliner, specimens	15 00

Virgilia lutea (See Cladrastis tinctoria)

Deciduous Shrubs

The height of a shrub does not indicate its value to a customer when making comparison in prices. Some nurserymen plant their shrubs thickly in the nursery rows, thereby gaining height, but such shrubs are not bushy. A shrub that is given ample room to develop bushiness will not make the same height in a given time as those which have been planted closely together. We set our shrubs wide apart in the rows and our plants are all good bushy stock; our prices are based on this fact, and customers are given full value for the prices we charge. The shrubs marked "specimens" are large, well developed plants, that have been given ample room in the nursery rows to fully develop, they have been several times transplanted, and they are exceptionally fine shrubs for immediate effect.

Per	10 Per 100 Per 1000
Abelia ruprestris 6 to 12 in	5 15 00
Alnus serrulata (rugosa) (see trees)	20 00
Amelanchier Botryapium	
18 to 24 in:	
Amorpha canescens 12 to 18 in 1 0	0
Amorpha fruticosa 3 to 4 ft	5 10 00
Amygdalus nana, Double White Flowerin	g Almond
" nana, Double Pink Flowering Almond	
3 to 4 ft 1 5	0
Andromeda calyculata 12 to 15 in. clumps 2 0	0
" Mariana 18 to 24 in. clumps	0
Aralia Japonica	
1 to 2 ft	75 15 00 00 17 50
" Mandschurica (Dimorpanthus)	
1 to 2 ft	
" pentaphylla	
2 to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
" spinosa	7 5
3 to 4 ft	00

Azalea amoena, Evergreen Azalea	Per 10	Per 100	Per 1000
10 to 12 in. 5 in. pots	3 50 4 00	30 00 35 00	
Note that our Azalea amoena are a They transplant more readily from pots the open ground.			
" Calendulacea (lutea)			
12 to 15 in	$\begin{smallmatrix}2&50\\10&00\end{smallmatrix}$		
" Mollis, Red and Yellow, assorted 2 to 3 ft. heavy	10 00	90 00	
Azalea Pontica (Ghent), assorted colors 18 to 24 in	5 50	50 00 90 00	
Baccharis halimifolia, Groundsel Shrub	.0 00	30 00	
2 to 3 ft	$\begin{array}{ccc} 1 & 00 \\ 1 & 25 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 12 & 00 \\ 20 & 00 \end{array}$	
Berberis purpurea, Purple Barberry	2.5		
12 to 18 in	65 85	6 00	
2 to 3 ft	1 35	$\frac{10}{12} \cdot \frac{00}{00}$	
" Thunbergii, Japanese Barberry	n =	0.00	F0 00
12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 2½ to 3 ft. specimens.	85	8 00	50 00 70 00
2 to 2½ it	1 50	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$	$ \begin{array}{cccc} 90 & 00 \\ 111 & 00 \end{array} $
3 to 3½ ft	2 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Berberis vulgaris, Green Barberry			
2 to 3 ft	$\begin{array}{cc} 1 & 00 \\ 1 & 25 \end{array}$	9 00 11 00	
4 to 5 ft	1 75	15 00	
Buddleia variabilis 18 to 24 in	1 00		
Callicarpa purpurea	1 00	0.00	
18 to 24 in	.1 25	$ \begin{array}{cccc} 9 & 00 \\ 10 & 00 \\ 12 & 00 \end{array} $	
Calycanthus floridus, Sweet Shrub	1 00	0.00	
18 to 24 in 2 to 3 ft 2 to 3 ft. specimens	$ \begin{array}{ccccccccccccccccccccccccccccccccc$	9 00 10 00	
Caragana arborescens 18 to 24 in	1 00	9 00 11 00	
" arborescens pendula, Weeping Sibe			
5 to 6 ft. 2 year heads 6 to 8 ft. 2 year heads	7 50 10 00		
Carpinus Americana, American Hornbea			s)
" Betulus, European Hornbeam (see			
Caryopteris Mastacanthos, "Blue Spiraea 12 to 15 in	1 25	10 00	
Ceanothus Americanus, New Jersey Tea			
12 to 18 in	$ \begin{array}{ccc} 90 \\ 1 & 25 \\ 2 & 00 \end{array} $	11 00	
Cephalanthus occidentalis, Dwarf Button	-bush	10.00	90 00
18 to 24 in	1 35 2 50	$\begin{array}{ccc} 10 & 00 \\ 12 & 00 \end{array}$	90 00

	. Our dans la American India			Per 1000
Cerc	cis Canadensis, American Judas or			
	18 to 24 in 2 to 3 ft 3 to 4 ft 5 to 6 ft	1 75	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
	5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 6 to 8 ft. specimens. 8 to 10 ft. specimens.	5 00 6 00 7 50	$\begin{array}{cccc} 40 & 00 \\ 50 & 00 \\ 60 & 00 \\ 85 & 00 \end{array}$	
66		10 00	89 00	
	Japonica, Japanese Judas 2 to 3 ft	1 50	12 00	
	3 to 4 ft	1 75 2 00	15 00	
Chio	nanthus Virginica, White Fringe			
	12 to 18 in	1 25 1 50 1 75 3 75 5 00	10 00 12 00 15 00 35 00	
Cleti	hra alnifolia, Sweet Pepper Bush			
	18 to 24 in		10 00	
Corn	nus alba (Siberica), Red-twigged Dog	gwood		
	18 to 24 in	1 00	8 00 9 00	
	3 to 4 ft	1 25	11 00	
44	2 to 3 ft. specimens	2 50	20 00	
	12 to 18 in	90	8 00	
	12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. heavy. 5 to 6 ft. heavy.	1 00 1 25 1 35 1 75 2 25	$\begin{array}{c} 9 & 00 \\ 10 & 00 \\ 12 & 00 \\ 15 & 00 \\ 20 & 00 \\ \end{array}$	
**	circinata 18 to 24 in			
Corn	us florida, White Flowered Dogwood	d (see	trees)	
44	florida rubra, Red Flowered Dogwe	ood (se	e tree	s)
66	ignorata 2 to 3 ft	1 75		
46	Mas. Cornelian Cherry 2 to 3 ft	1 00	9 00	
44	paniculata			
46	2 to 3 ft	$\begin{array}{ccc} 1 & 00 \\ 1 & 25 \end{array}$	$\begin{array}{ccc} 9 & 00 \\ 11 & 00 \end{array}$	
44	sanguinea, English Dogwood	85	`	
	3 to 4 ft heavy. 4 to 5 ft. 4 to 5 ft heavy.	1 25	$\begin{array}{ccc} 10 & 00 \\ 11 & 00 \\ 13 & 00 \end{array}$	
44	sanguinea variegata (elegantissima 4 to 5 ft. specimens)		
41	sericea (Amomum) Silky Dogwood			
	2 to 3 ft. 3 to 4 ft. 4 to 5 ft. heavy. 4 to 4½ ft. specimens.	$\begin{array}{c} 90 \\ 1 & 25 \\ 1 & 50 \\ 2 & 00 \end{array}$	8 00	

The Cornus sanguinea is the old English Dogwood. Customers desiring the Red-branched Dogwood must order Cornus alba or Cornus stolonifera.

66	sto	on	ife	ra														
	2	to	3	ft.	 				 					1	0.0	9	0.0	
	3	to	4	ft.	 				 					1	2.5	11	0.0	

Pe	r 10 I	Per 100	Per 1000
Cornus stolonifera lutea (flaviramea), Yell		rked	
$2\frac{1}{2}$ to 3 ft			
" stricta			
3 to 4 ft. heavy 1	50		
Corylus Americana, American Hazel			
18 to 24 in	$\frac{25}{75}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
5 to 6 ft. heavy 3		30 00	
" avellena, European Hazel			
2 to 2½ ft	25	10 00	
" Cosford's Soft Shell Filbert. 18 to 24 in	0.0		
" Garribaldi, Large Filbert	00		
12 to 18 in 1	50		
	0.0		
" purpurea, Purple-leaved Filbert	0.0		
	00		
Cotoneaster Simondsii 3 to 4 ft	75	15 00	
4 to 5 ft. heavy 2		17 50	
Crataegus coccinea, White Thorn			
18 to 24 in	$\frac{85}{25}$	8 00	75 00
3 to 4 ft	75 75	$\begin{array}{cccc} 15 & 00 \\ 25 & 00 \end{array}$	
6 to 8 ft 3	0.0	27 50	250 00
8 to 10 ft	0.0	35 00	
" Cordata, Washington Thorn 2 to 2½ ft	75	15 00	
3 to 4 ft 2	25	20 00	
4 to 5 ft	00		
" crus galli, Cockspur Thorn 18 to 24 in	85	8 00	75 00
2 to 3 ft 1	25	10 00	
3 to 4 ft	75 75	$\frac{15}{25} \frac{00}{00}$	140 00
6 to 8 ft 3	50	30 00	

The crus galli and coccinea make excellent hedge plants where a protective hedge is required. The plants should be cut well down to the ground when they are set out, and if this is done they will make a good bushy hedge the first year.

3 to 4 ft		2 25	15 00 20 00 30 00
	aliah Hassathaan		
18 to 24 in 2 to 3 ft 3 to 4 ft		1 50	$\begin{array}{cccc} 7 & 00 \\ 10 & 00 \\ 12 & 00 \\ 15 & 00 \end{array}$
		1 10	10 00
4 to 5 ft			25 00
3 to 4 ft		5 00	25 00
oxycantha, Double \	White		
5 to 6 ft			25 00
spatulata			
2 to 3 ft		$\begin{array}{ccc} 1 & 75 \\ 2 & 25 \\ 3 & 50 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \\ 30 & 00 \end{array}$
	2 to 3 ft. 3 to 4 ft. 5 to 6 ft. aegus oxycantha, En 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. oxycantha, Double 4 to 5 ft. 5 to 9 ft. oxycantha, Paul's S 3 to 4 ft. 6 to 8 ft. 8 to 10 ft. oxycantha, Double N 5 to 6 ft. 8 to 10 ft. spatulata 2 to 3 ft. 3 to 4 ft.	2 to 3 ft. 3 to 4 ft. 5 to 6 ft. aegus oxycantha, English Hawthorn 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. oxycantha, Double Pink 4 to 5 ft. 5 to 9 ft. 5 to 9 ft. 6 to 8 ft. 8 to 10 ft. oxycantha, Double White 5 to 6 ft. 8 to 10 ft. spatulata	2 to 3 ft. 1 75 3 to 4 ft. 2 25 5 to 6 ft. 3 50 aegus oxycantha, English Hawthorn 18 to 24 in. 85 2 to 3 ft. 1 25 4 to 5 ft. 1 75 oxycantha, Double Pink 4 to 5 ft. 2 75 8 to 9 ft. 6 00 oxycantha, Paul's Scarlet 3 to 4 ft. 2 75 6 to 8 ft. 5 00 8 to 10 ft. 6 00 oxycantha, Double White 5 to 6 ft. 2 75 8 to 10 ft. 6 00 spatulata 2 to 3 ft. 1 75 3 to 4 ft. 2 25

Cydo	onia Japonica (Pyrus Japonica), Japanes		
	12 to 18 in		27 21
	18 to 24 in	$ \begin{array}{ccccccccccccccccccccccccccccccccc$	65 00
	2 to 3 ft	0	
и	Maulei, Orange 18 to 24 in		
Dane	nodium penduliflorum, pink	U	
Desi	2 year	5 15 00	
	3 year 2 0	18 00	
66	Japonicum, White		
	2 year	0 .	
	2 year	Ď	
Deut	zia candida, Double White		
	4 to 5 ft 1 2	5 10 00	
44	Candidissima plena, Double White		
	2 to 21/2 ft	5	
	4 to 6 ft	5 10 00	
	5 to 6 ft heavy 1 5	0 12 00	
44	crenata, Double Pink		
	4 to 6 ft	5 10 00	
. "	crenata, Double White		
	5 to 6 ft	0 12 00	
66		0 15 00	
	gracilis, Dwarf White		
	12 to 18 in	$ \begin{array}{ccccccccccccccccccccccccccccccccc$	
	12 to 18 in. 8 18 to 24 in. 1 0 2 to 2½ ft. 1 2	5 10 00	
66	Lemoinei, Dwarf White		
	12 to 18 in	5 7 00	
	2 to 3 ft 9	0.08.00	
	3 to 4 ft	5 10 00	
	3 to 4 ft	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
66		0 10 00	
	Lemoinei compacta, Dwarf White 3 to 31/4 ft. X.X	0 12 00	
	3 to 3½ ft. X.X	5 15 00	
46			
	Pride of Rochester, Double Pink	E.	
	4 to 5 ft	0 12 00	
66			
	scabra, Single White	-	
	4 to 5 ft	0	
Diam			
Dier	villa Sessilifolia (lutea) 18 to 24 in	0 10 00	
	3 to 4 ft	0 12 00	
	3 to 4 ft	ő	
Dim	orpanthus (See Aralia Mandschurica.		
Elea	gnus angustifolia, Russian Olive		
	4 to 5 ft	5 10 00	
	6 to 8 ft 1 5	0 12 00	
44	longipes		
	2 to 3 ft 1 2		
	3 to 4 ft		
	4 to 5 ft. specimens 3 0	0 25 00	
66			
	umbellatus, female	5	
	4 to 5 ft	0	
Euc			
Euo	nymus Europaeus, European Burning Bu		
	18 to 24 in	$ \begin{array}{ccccccccccccccccccccccccccccccccc$	
	3 to 4 ft	5 12 00	
66	alatus, Japanese Euonymus		
	18 to 24 in 4 0	0	
66			
	Americanus	= 10.00	
	1 to 2 ft 1 2	5 10 00	

	Per 10	Per 100 Per 100
Euonymus Bungeanus		
1 to 2 ft	. 1 50	12 00
18 to 24 in	. 3 50	
Exochordia grandiflora, Pearl Bush		
18 to 24 in	1 00	15 00
4 to 5 ft specimens		
Forsythea Fortunei, Golden Bell		
2 to 3 ft		9 00 15 00
5 to 6 ft		20 00
6 to 7 ft. specimens		
" intermedia		
18 to 24 in 2 to 3 ft		
3 to 4 ft		
Forsythea suspensa	- 0-	
2 to 3 ft	$\begin{array}{ccc} 1 & 25 \\ 3 & 00 \end{array}$	
" viridissima		
3 to 4 ft	1 25	10 00 12 00
3 to 4 ft. specimens	2 00	18 00
4 to 5 ft. specimens	2 25	20 00
" viridissima variegata 2 to 3 ft	1 25	
3 to 4 ft	1 50	
Halesia tetraptera, Silver Bell		
2 to 3 ft		12 00 18 00
4 to 5 ft	2 50	10 00
Hamamelis Virginica, Wych-hazel	3 00	
2 to 3 ft	1 35	12 00
3 to 4 ft	1 75	15 00 20 00
T to 0 11	2 20	20 00

HIBISCUS MEEHANI VARIEGATA

NEW SINGLE FLOWERED VARIEGATED LEAVED ALTHAEA

This is a new variety of the variegated leaved Althaea, the foliage showing the white and yellow variegation of the old variety, but which differs from the old variety inasmuch as the flowers open wide, and in a strong vigorous plant they are about four to five inches in diameter, while on the old variety the flowers do not open at all, but look like purple buttons.

The flower is of a purplish red color, single, and the plant

blooms profusely.

This new variety of our common garden Althaea will be found perfectly hardy everywhere the old variety has proven so.

$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	00	12 00 15 00 25 00 35 00							
Hibiscus alba plena, Double White (Althaea)									
18 to 24 in	25	8 00 10 00							
" ardens, Double Blue 18 to 24 in	00	8 00							

		Pe	er 10	Per	100	Per 1000
	olor, Double Pink 24 in	. 1	00	8	00	
" Boule de	e Feu, Double Red	1	25	10	0.0	
" coerulea	. Double Blue					
3 to 4 4 to 3	ft ft	. 1	$\frac{25}{50}$		0.0	
" Red	ft	1	25	10	0.0	
" Duc de	Brabant, Double Red					
	24 inssima, Double, delicate pa			8	0.0	
2 to 3	ftArc, Double White			8	00	
18 to 3	24 in	. 1	00	8	00	
" Lady St	anley, Double Pink	. 1	0.0	8	0.0	
3 to 4 4 to 5	ft ft ft. specimens	. 1 : 2	25 00		00	
" lutiflora	plena, double pink					
" variegat	a, Variegated-leaved, doul	ole	red			
	½ ft ous, Single White	. 1	25	10	0.0	
2 to 3	ft hamnoides, Sea Buckthor		25	10	00	
2 to 4	ft	. 1	25			
Hydrangea ar	borescens ft	. 1	75	15	00	
Hydrangea pa	aniculata (type), Single	1	25	12	0.0	
	ftft.			15		
3 to 4	ta, Early Flowering (type)	. 1	65	15	00	
" panicula	ft. specimensta grandiflora					
18 to 2 2 to 3	24 in		65 85	5 7	$\frac{50}{50}$	$\frac{50}{70} \frac{00}{00}$
3 to 4 3 to 4	24 in ft. ft. ft. ft. Specimens.	. 1	25 50	11 12	00	$100 00 \\ 110 00$
4 to 5	ta grandiflora Standards	. 2	25	20	00	
3 to 3	½ ft	. 1	75			
3 ft		. 1	50	12	00	
Hypericum at 1 to 2	ft	. 1	50			
2 to 3 " densiflor	ft	2	00			
	•••••	. 1	50			
Mioscriai	num	. 1	25	10	00	
" patulum		1	50	12	0.0	
" prolificu			00	12	00	
2 to 3 3 to 4	ft		$\frac{85}{25}$	10	00	
llex decidua,	Deciduous Holly	-4	0.0			
2 to 3	24 in	1	00 50 00			
		2	50			
" verticilla 12 to 1	ata (Prinos)		85			
2 to 3 3 to 4	8 inft	2	7.5 0.9	15	0.0	

Itea Virginica	Pe	r 10	Per :	100	Per 10	000
2 to 3 ft	. 1	35	12	00		
Laurus Benzoin (See Lindera						
Ligustrum Ibota (true)		75	6	50	60	۸۵
18 to 24 in. 2 to 3 ft. 3 to 3½ ft. 4 to 5 ft. specimens 5 to 6 ft. specimens	. 1	00	9	00		
4 to 5 ft. specimens	. 2	$\begin{array}{c} 50 \\ 25 \end{array}$	$\begin{array}{c} 13 \\ 20 \end{array}$	0.0	130	00
5 to 6 ft. specimens	. 2	75 00	$\tilde{25}$	00		
" ovalifolium, California Privet						
2 to 3 ft		50 60		00 50	25 30	
2 to 3 ft. heavy		75	5	00		
3 to 4 ft. X.X. 3 to 4 ft. X.X.X.	. 1	00	9	00	80	00
5 to 6 ft. specimens	. 2	00 50	15	00		
" Regelianum						
3 to $3\frac{1}{2}$ ft. heavy	. 1	75 00	16	00	150	00
4 to 6 ft. specimens	. 2	50				
" sinensis	4	0.5	10	0.0		
2 to 3 ft. heavy	. 1	25	10	00		
3 ft	. 1	50				
" vulgaris, Common Privet						
12 to 18 in. 1 year		50	3	25	30	0.0
Lindera Benzoin, Spice Bush	. 1	0.0	9	0.0		
12 to 18 in 18 to 24 in 2 to 3 ft	. 1	25		00		
Lonicera bella candida	. 1	00				
2 to 3 ft	. 1	25	10	00		
" bella albida						
3 to 4 ft	. 1	35	12	00		
" fragrantissima 3 to 4 ft	. 1	25				
" Morrowii						
2 to 3 ft	. 1	25	9	00		
" Philomela		20	**	00		
2 to 3 ft	. 1	50				•
" Ruprechtiana, Red-berried		۰				
2 to 2½ ft	1	. 25	10	0.0		
2 to 2 ft		90				
3 to 4 ft	1	25	11	. 00		
4 to 5 ft. heavy	. 1	50				Ę
" Tatarica alba		0.0	0	0.0		
2 to 3 ft	2	00	0	00		
" Tatarica grandiflora rosea, Pink		0.0	_	0.0		
2 to 3 ft			10	00		
4 to 5 ft. specimens 5 to 6 ft. specimens		25	20	00		
" Xylosteum						
2 to 3 ft]	50				
Myrica cerifera, Wax Myrtle 3 to 4 ft. heavy	4	2 00				-
Philadelphus aureus (Syringa), Gold	en-	leav	ed			
18 to 24 in	:	L 50				и

Per 10 Per 100 Per 1000
Philadelphus coronarius, Sweet Flowered Mock Orange
2 to 3 ft 1 00 9 00 3 to 4 ft 1 25 10 00 4 to 5 ft 1 50
4 to 5 ft
5 to 6 ft
" flora alba plena, Double Flowered
2 to 3 ft
" Gordonianus 2 to 3 ft 1 00 3 to 4 ft 1 25
" grandiflorus, Large Flowered Mock Orange 4 to 5 ft. heavy
4 to 5 ft. heavy
" nanus, Dwarf Mock Orange
2 to 3 ft
18 to 24 in
" Zeyherii 18 to 24 in
Potentilla fruticosa, Shrubby Cinquefoil
12 to 18 in
Prinos verticillata (See Ilex verticillata, page 19)
Prunus Japonica (See Amygdalus nana, page 13)
" Maritima, Beach Plum 3 to 4 ft
" Pissardi, Purple-leaved Plum 5 to 6 ft
Ptelea trifoliata, Hop Tree
4 to 6 ft
" trifoliata aurea, Golden Hop Tree 3 to 4 ft
Pyrus Japonica (see Cydonia Japonica)
" Arbutifolia
3 to 4 ft
Rhamnus catharticus, Common Buckthorn
12 to 18 in
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
The Rhamnus catharticus makes a good strong hedge plant
in such parts of the country in which California and Ibota Privets are not hardy. It is very desirable in Canada and the Northwest.
3 to 4 ft
" frangula 2 to 8 ft
3 to 4 ft
Rhodotyphus kerrioides
2 to 3 ft
3 to 4 ft. 1 25 10 00 100 00 4 to 5 ft. 1 75 15 00 4 to 5 ft. specimens 2 25 20 00

Rhu	s aromatica, Sweet Sumach	Per 10	Per	100	Per 1000
44	18 to 24 in	2 50			
	2 to 3 ft	1 75	15	00	
44	cotinus, Mist or Smoke Tree	4 00		0.0	
	18 to 24 in. 2 to 3 ft.	1 25		00	
	3 to 4 ft	2 00			
44	4 to 5 ft. specimensglabra, Smooth Sumach	2 50			
	2 to 3 ft		8	00	70 00
44	glabra laciniata, Cut-leaved Sumac 12 to 18 in		15	0.0	
"	typhina, Stag's Horn Sumach		20		
	3 to 4 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	$\frac{1}{1} \frac{25}{75}$		00	80 00
	6 to 8 ft 8 to 10 ft	$\frac{2}{3} \frac{00}{00}$			
66	typhina laciniata, Cut-leaved Suma	ch .			
Rihe	2 to 3 fts aureum, Yellow Flowering Curra		15	00 .	
11120	3 to 4 ft	1 25		00	
44	fasiculatum chinensis	1 50	14	00	
	18 to 24 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			g>
44	5 to 6 ft. heavy	2 50			
	floridum, Missouri Black Currant 2 to 2 1/2 ft	90	8	00	
	2 to 2½ ft	$\begin{array}{ccc} 1 & 25 \\ 2 & 00 \end{array}$	10	00	
66	Gordonianum, Pink Flowered Curr	ant	4.0	0.0	
Rosa	4 to 5 ft	1 90	12	00	
	2 to 3 ft	$\begin{array}{cccc} 2 & 00 \\ 2 & 50 \end{array}$			
44	Carolina				
	18 to 24 in	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$	10 12	00	
66	lucida 2 to 2½ ft	1 25	10	00	
46	multiflora Japonica				
	18 to 24 in	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$	10	00	
44	nitida	1 95	12	0.0	
44	18 to 24 in	1 20	12	00	
	18 to 24 in	85 90	7 8	00	
	3 to 4 heavy	1 25 1 50	10		
4,6	rubrifolia				
	18 to 24 in	$\begin{array}{c} 2 & 00 \\ 2 & 50 \end{array}$			
66	3 to 3½ ft	3 50			
	2 to 2½ ft	1 25	10	0.0	
	4 to 5 ft. heavy	2 50			
44	rugosa alba, White 2 to 2½ ft	1 25	12	0.0	
44	3 to 4 ft. heavy	1 75			
•	setigera, Prairie Rose 2 to 3 ft	1 25	10	0.0	
44	6 to 10 ft. heavy	ī 75			
44	5 inch pots	2 50			
•	Baby Rambler 5 inch pots	2 50	2.0	00	

CLIMBING AND PILLAR ROSES

		_		_		
		Pe	r 10	Per	100	Per 100
Rose	, Baltimore Belle, Double White					
	5 inch pots	. 2	5 0	20	00	
64	Clothilde Soupert (Climbing)					
	5 inch pots	. 2	50			
46	Crimson Rambler					
	2 to 3 ft	. 1	25	10	0.0	
	5 inch pots	. 2	50	20		
	6 inch pots	. 3	50	30	00	
5.6	Mad. Plantier					
	2 to 3 ft	. 1	25	10	0.0	
66	Philadelphia Rambler					
	5 inch pots	2	50			
66	Queen of Prairie, Double Pink					
	3 to 4 ft	1	25	10	0.0	
	5 inch pots	2	50	*		
66	White Rambler					
	3 to 4 ft	1	25			
44	Yellow Rambler					
	2 to 3 ft	7	25			
	5 inch pots					
		_				
	WICHURAIANA AND	H	YE	RI	DS	
Rosa	Wichuraiana, Memorial Rose					
	2 to 3 ft	1	0.0	. 8	0.0	
	5 inch pots	2	50	20	00	
44	Dorothy Perkins					
	5 inch pots	2.	50	20	0.0	

nosa wichuralana, wemonal nose			_	0.0
2 to 3 ft				0.0
5 inch pots	2	90	20	00
Dorothy Ferkins				
5 inch pots	2	50	20	0.0
" Evergreen Gem				
5 inch pots	2	50	20	0.0
" Gardenia				
5 inch pots	9	50	20	0.0
	4	30	20	0.0
Jersey Beauty	_			
5 inch pots	2	50	20	0.0
" Manda's Triumph				
5 inch pots	2	50	20	0.0
" Pink Roamer				
2 to 3 ft	1	25	10	0.0
3 to 4 ft		50	10	0.0
5 inch pots	2	50		
" Rene Andre				
5 inch pots	2	50	20	0.0
	-	• •	- 0	
" South Orange Perfection	4	0 =	10	0.0
3 to 4 ft		25 50	$\frac{10}{20}$	
-	2	30	20	00
Oniversal Pavolite		0.7		
2 to 3 ft	1	25	10	0.0
Rubus Canadensis				
2 to 3 ft			10	00
4 to 4½ ft	1	50		
Sambucus aureus, Golden Elder				
2 to 3 ft	1	25	10	
		50	12	0.0
4 to 5 ft	1	75		
" Canadensis, Elderberry				
2 to 3 ft	1	00	8	00
" racemosa, Red-berried Elderberry				
2 to 3 ft	1	75	15	0.0
" Canadensis fructo alba	_			
2 to 3 ft	7	50		
		75		
4 to 5 ft	1			
	1	10		
Spiraea Anthony Waterer, Pink Dwarf	_		0	0.0
	1	00	9	0.0

	Per 10	Per 100	Per 1000
Spiraea arguta			
2 ft		11 00	
18 to 24 in 2 to 3 ft 4 to 5 ft	85 90	7 00 8 00	
5 to 6 ft	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 00 \\ 13 & 00 \end{array}$	
" callosa alba, Dwarf White 12 to 15 in	1 00	9 00	
" callosa rosea, Pink			
2 to 3 ft	1 25	$\begin{array}{cccc} 8 & 00 \\ 10 & 00 \\ 11 & 00 \end{array}$	
" carpinaefolia 2 to 2½ ft	90	8 00 10 00	
" Douglassi rosea	1 00	9 00	
4 to 5 ft		10 00	
3 to 4 ft " opulifolia, White	1 50		
2 to 3 ft	1 35	$\begin{array}{ccc} 10 & 00 \\ 12 & 00 \end{array}$	
5 to 6 ft	2 00		
" opulifolia aurea, Golden Leaf	. 1 00	9 00	
3 to 4 ft. specimens	-2.00	20 00	
" prunifolia, Bridal Wreath 2 to 3 ft	. 1 25	12 00	
3 to 4 ft	. 1 50 . 2 50 . 3 00	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$	
" Reevesii, single	1 00	9 00	
3 to 4 ft. 4 to 5 ft. 3½ to 4 ft. specimens	. 1 25 . 1 75 . 2 50	$\begin{array}{cccc} 12 & 00 \\ 15 & 00 \\ 20 & 00 \end{array}$	
" Reevesii, double			
18 to 24 in 2 to 3 ft 3 to 3½ ft	. 1 00 . 1 25 . 1 50		
"Regeliana 4 ft		10 00	
" salicifolia, White			
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 4 to 5 ft, specimens:	$\begin{array}{c} 1 & 25 \\ 1 & 35 \\ 1 & 65 \\ 2 & 25 \end{array}$	12 00 13 00 15 00 20 00	
" sorbifolia			
2 ft 3 to 4 ft	. 1 50	15 00	
" Thunbergii, White 18 to 24 in	. 1 25 . 1 35	10 00 12 00	
" tomentosa, Pink			
12 to 18 in. 2 to 3 ft. 4 to 5 ft.	. 85 . 1 00 . 1 25	$\begin{array}{ccc} 7 & 00 \\ 9 & 00 \\ 10 & 00 \end{array}$	
" tomentosa alba 18 to 24 in	. 1 00		
" vaccinifolia			
3 to 4 ft	. T 00		

·			
	Per 10	Per 100	Per 1000
Spiraea Van Houttei, White			
18 to 24 in	85	7 00 8 00	
3 to 4 ft	1 25	10 00	
3 to 4 ft	2 25	20 00	
3½ to 4 ft. specimens	2 50	23 00	
Staphyllea bumalda	4 0 5	40.00	
3 to 4 ft	1 25	10 00	
tilioliata	1 75	7= 00	
4 to 5 ft	1 (9	15 00	
Stephanandra flexuosa	1. 95	11 00	
2 to 3 ft	2 00	11 00	
3½ to 4 ft. specimens	2 50		
Styrax Japonica			
2 to 3 ft	1 50		
4 to 5 ft specimens	$\frac{2}{3} \frac{25}{00}$		
5 to 6 ft. specimens	3 50		
Symphoricarpos racemosus, White Snow	wberry		
2 to 3 ft	1 25	10 00	
" vulgaris, Indian Currant			
18 to 24 in	90	8 00	
2 to 3 ft	1 25	9 00	
" vulgaris variegatum	. 1 20	10 00	
2 to 3 ft	. 1 25	12 00	
Syringa Japonica, Japanese Tree Lilac		7	
2 to 3 ft	. 1 75	15 00	
3 to 4 ft	. 2 00		
" Emodi			
2 to 3 ft	. 1 50		
	. 2 00		
" Josikaea, Violet 2 to 3 ft	1 50		,
" oblata	. 1 00		
2 to 3 ft	2 50		
" Pekinensis			
3 to 4 ft. 4 to 5 ft. 6 to 7 ft.	. 1 25	10 00	
4 to 5 ft	. 1 75	15 00	
	. 3 00	25 00	
" Pekinensis pendula 2 year heads	7 50		
" Rothomagensis (Chinensis), Red F	. 1 00 Dannian		
2 to 3 ft	. 1 65	15 00	
2 to 3 ft	2 00	10 00	
4 to 5 ft. heavy	. 2 50		
Symings audgeric Common Burnle Liles	. 2 30		
Syringa vulgaris, Common Purple Lilac	1 00	9 00	
18 to 24 in	. 1 25	11 00	
" vulgaris alba, Common White Lila	ac		
18 to 24 in	. 1 00	9 00	
2 to 3 ft	. 1 25	11 00	
NEW TOTAL	•		
NEW LILAC	2		
White, Red and Purple, Sing	(le an	d Dou	ble
Cynings Pollo de Naney Dauble Bens			
Syringa Belle de Nancy, Double Rose	. 2 50		
" Emile Lemoine, Double, Rosy Lile			
2½ to 3 ft	. 2 50		
" Ludwig Spaeth, Purplish Red			
2½ to 3 ft	. 2 50		
" Mme. Abel Chatney, Double White			
2½ to 3 ft			
" Marie Legray, Dwarf Single White	:		
2 to 2½ ft	. 2 50		
·			

	Pe	er 10 Pe	er 100	Per 1000
Syri	nga Md. Cassimir Perier, Creamy Whit		ble	
44	Rubra de Marley, Light Blue			
66	2½ to 3 ft	50		
_	2½ to 3 ft	50		
ıam	a rix Africana 18 to 24 in	65	5 00	
	2½ to 3 ft. 6 to 7 ft	75 25 1	6 00	
44	Gallica		- 00	
	18 to 24 in	65 75	5 00	
44	3 to 4 ft	00	8 00	
	2 to 3 ft	75 00	6 00	
44	Japonica plumosa			
46	18 to 24 in Odessana	75		
	2 to 3 ft		0 00 2 00	
44	4 to 6 ft		3 00	
	tetrandra purpurea	75	6 00	
Vibu	5 to 7 ft 1 Irnum acerifolium, Maple leaved	25 1	.0 00	
	18 to 24 in	75 25 2	0 00	
44	3 to 4 ft	50		
	cassinoides 2 to 3 ft. heavy	50		
41	cotinifolium , 3 to 4 ft	0.0		
"	4 to 5 ft		0 00	
	dentatum, Arrow Wood 2 to 3 ft	25 1	0 00	100 00
	3 to 4 ft	$\begin{array}{ccc} 35 & 1 \\ 25 & 2 \end{array}$	2 00	$\begin{array}{cccc} 120 & 00 \\ 200 & 00 \end{array}$
"	4 to 5 ft. specimens 3 dentatum Molle	00 2	5 00	
	12 to 18 in		8 00	100 00
	3 to 4 ft	35 1	$\frac{2}{0} \frac{00}{00}$	120 00 200 00
- 66	4 to 5 ft. specimens 3	00 2	5 .00	200 00
	Japonicum (Sieboldi) 12 to 18 in	25 1	0 00	
	12 to 18 in	00 1	5 00	
	3 to 4 ft. heavy	50 3	2 00 00	
	5 to 6 ft. heavy		5 00 0 00	
Vibu	rnum lantana, Hobble Bush 2 to 3 ft	25 1	0 00	
	3 to 4 ft	65 1	5 00	
	6 to 7 ft	$\begin{array}{ccc} 10 & 2 \\ 00 & 2 \\ 50 & 2 \end{array}$	8 00	
44	lentago			
	2 to 3 ft	00 1 25 50	8 00	
66	opulus sterilis, Common Snowball			
	2 to 3 ft 1	$\begin{array}{ccc} 00 & & \\ 25 & 1 \\ 75 & 1 \end{array}$	9 00	
	3 to 4 ft	75 1	5 00	
ii	opulus nanus, Dwarf Snowball 6 to 12 in. bushy clumps	0.0	9 00	
	12 to 15 in. bushy clumps 1	25 1	2 00	

In many parts of the United States and Canada, Box Edging is not hardy, and a low, dwarf and compact plant is required as a substitute for it. The Viburnum opulus nanus has been found to be an excellent substitute for the Box Edging. It is naturally of a dwarf habit and will stand a lot of shearing, so that it can be kept down to a very small size. It does not bear any flowers and the leaves are smaller than the other varieties of Viburnum. It is perfectly hardy and can be planted in any part of the United States and Canada.

Per 10 Per 100 Per 1000

Viburn	um o	xvcoccos	(opulus),	High	Bush	Cran	ber	ry		
							15	00		
						75				
" p	licatu	ım, Japan	iese Snow	/ball (true)					
							10			
							12			
							$\frac{15}{20}$			
					Z	0.0	.20	0.0		
" p	licatu	ım rotund	lifolium							
	3 to	4 ft		• • • • • • •	2	25	20	0.0		
" p	runif	olium, Bla	ack Haw							
							30			
							35	00 .		
		-	mens		4	00				
" S	iebol	di (See Ja	aponicum)							
" to	ment	tosum								
	2 to	3 ft			1	25	12	0.0	120	00
							15			
						00	20			
0			• • • • • • • • • • • • • • • • • • • •			50	35 50			
	1 LO	7½ ft				UU	οv	UU		

The Viburnum tomentosum is of a similar character and habit to the Viburnum plicatum, but instead of having balls of flowers, they are flat headed. In leaf and general growth it is about the same as the plicatum, and in fact it is frequently mistaken for that variety. It is perhaps a little stronger grower than the plicatum, and in some respects it is to be preferred. We have a particularly large and fine stock of this plant, and call attention to some of the specimen plants which we offer.

Vitex Agnus Castus, Blue				
2½ to 3 ft	1	50		
Weigela amabilis, Light Pink				
2 ft				
3 to 4 ft. specimens			18	
4 to 5 ft. specimens	2	50	20	00
alborea versicolor, I lik				
3 to 4 ft	1	25		
4 to 5 ft. specimens	2	50		
" candida, White				
4 to 5 ft. heavy	1	50		
4 to 5 ft. specimens	2	50	20	0.0
Weigela Eva Rathke, Crimson				
2 to 2½ ft	1	25	12	0.0
2½ to 3 ft				
" nana variegata		,		
2 to 3 ft	1	25	10	0.0
3 to 4 ft			$\tilde{1}\tilde{2}$	
" rosea, Pink				
3 to 4 ft	1	25		
4 to 5 ft. heavy		50		
4 to 5 ft. specimens		50	20	0.0
Zanthorhiza apiifolia, Yellow Root				
12 to 18 in				
18 to 24 in	1	50	12	00

Evergreens

All of our evergreens are specimens. Every tree is given careful attention and such varieties as Retinisporas, etc., requiring it, are sheared as often as necessary in order to produce a bushy symetrical tree. They are all branched to the ground. We frequently transplant our evergreens and in that way, we get a mass of fibrous roots. In nearly every case, as noted in the catalogue, the trees will be dug with a ball of earth and the ball sewed in burlap. This makes the transplanting of them almost an assured success. Of course, the first cost of these evergreens dug and handled in this way, is more than common, but as the planter has practically no loss with them, he is saving money in the long run. Our stock must not be confused with low priced evergreens rarely transplanted and grown thickly together.

Per 10 Per 100 Per 1000

Abies (See also Picea)			
Abies Balsamea, Balsam Fir 2 to 3 ft	$\begin{array}{c} 00 \\ 50 \end{array}$.		
" Canadensis (See Tsuga Canadensis)			
" Douglassi, Douglas Fir 12 to 18 in	50 00		,
	00		
" Pectinata, European Silver Fir 12 to 18 in			
Azalea amoena, Evergreen Azalea 10 to 12 in. 5 in. pots	50 00	30 00 35 00	
Biota (See Thuya)			
Buxus Arborescens 1 ft	50 00		
" sempervirens, Standards 2 ft. stem, 18 in. diameter head, with ball20	00		
	50 60 25	4 00 5 00 20 00	40 00

Our 4 to 5 inch Box Edging were all transplanted last Spring. They are nice, busy little plants and well-rooted. The 5 to 6 inch stock is much heavier and bushier, and less plants are required to the foot, than for the 4 to 5 inch stock. All of this stock is of our own growing, it is not imported.

The 12 to 15 inch plants have been especially grown for edging purposes. They are very bushy and will make a solid

edging immediately. Set two plants to the foot.

and the second of the second o			
Calluna vulgaris, Heath		Per 100 Per	
Calluna vulgaris, Heath 12 to 18 in. 5 in. pots	2 50	State of the Contract of the C	531
Cupressus Lawsoniana Allumi, Blue Cy			
3 to 3½ ft. with ball			
3½ to 4 ft. with ball	.15 00		
Daphne Cneorum			
6 in., bushy from 5 in. pots	. 5 00		
Erica stricta		f	
12 to 18 in. 5 in. pots	. 2 50	20 00	
Erica vagans capitata			
12 to 15 in. 5 in. pots		20 00	
Ilex Crenata, Japanese Holly			
9 to 12 in. 5 in. pots	. 3 75	35 00	
Juniperus communis aurea, Douglas Gol		niper	
12 to 18 in	. 6 00	50 00	
" communis, upright form			
2 to 2½ ft. with ball	5 00		
3 to 3½ ft. with ball	. 7 50		
" communis prostrata, Prostrate Jui	niper		
12 to 18 in. with ball	. 3 50	30 00	
" communis Waukegan trailing			
12 to 18 in		30 00	
18 to 24 in	. 5 00	40 00	
" Hibernica, Irish Juniper			
18 to 24 in	2 50	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$	
18 to 24 in	.10 00	90 00	
" Japonica aurea, Golden Juniper			
2 to 2½ ft. with ball	.12 50		
3 to $3\frac{1}{2}$ ft. with ball	.17 50		
" Sabina			
12 to 18 in	. 2.50	$\begin{array}{cccc} 20 & 00 \\ 30 & 00 \end{array}$	
	. 5 50	30 00	
" sinensis argentea variegata 12 to 18 in	9 50	20 00	
2 to 3 ft. with ball	7 50	20 00	
" suecica compacta			
12 to 18 in	. 3 50	30 00	
18 to 24 in. with ball	. 5 00	40 00	
" stricta, Pyramidal Juniper			
12 to 18 in		30 00	
2 to 3 ft. with ball	.15 00		
3 to 4 ft. with ball			
4 to 5 ft. with ball			1

Visitors to our nurseries have been greatly interested and pleased with this Juniper, which has not been found in any other nursery. The habit is like a sheared pyramidal tree box. The foliage is of a bright green color, very compact and somewhat of the character of a Chinese Juniper. It makes an excellent tub plant, or for use where an evergreen of formal character is required.

" Virginiana, Red Cedar 18 to 24 in	
Kalmia angustifolia, Narrow-leaved Mt. Laurel 2 to 2 ½ ft	
" latifolia, Broad-leaved Mt. Laurel 12 to 18 in	
Mahonia aquifolia 12 to 18 in	0
Osmanthus aquifolium 12 to 18 in., bushy with ball10 00	
" ilicifolia 2 1/4 to 3 ft., bushy with ball15 00	

		Pe	r 16	Per	100	Per 1000
Pice	ea alba, White Spruce			, 101	100	
	18 to 24 in	. 4	00	35	00	
	Englemanni, Englemann's Blue Sp					
	2½ to 3 ft. with ball					
66	excelsa, Norway Spruce	1	3.5	12	00	
	18 to 24 in	. 1	75	15 35	00	
	3 to 4 ft. with ball	. 7	50		00	
	18 to 24 in. 2 to 3 ft. with ball. 3 to 4 ft. with ball. 4 to 5 ft. with ball. 5 to 6 ft. with ball.	.20	00			
46	excelsa inverta	10	٥.٠			,
	2 to 3 ft. with ball. 3 to 3½ ft. with ball. 4 to 4½ ft. with ball.	.12	50			
	5 to 5½ it. With ball	. 40	UU			
	6 to 6½ ft. with ball	. 25				
**	excelsa pyramidalis, Pyramidal N			Spru	се	
"	10 to 11 ft. with ball	. 50	00			
	2½ to 3 ft. with ball	.17	50			
46	Orientalis, Oriental Spruce 3 to 3½ ft. with ball	2.0	0.0			
	4 to 4½ ft. with ball 5 to 5½ ft. with ball	.25	0.0			
44	pungens, Koster's Blue Spruce, Se			Blue		
	$1\frac{1}{2}$ to 2 ft. with ball	.20	0.0			
	3½ to 4 ft. with ball	.50	00			
Pinu	is cembra, Swiss Stone Pine					
	2 to 2½ ft. with ball	.10	00 50	100	0.0	
	2 to 2 ½ ft. with ball. 2½ to 3 ft. with ball. 3½ to 4 ft. with ball. 4½ to 5 ft. with ball.	.15	00 50	100	00	
46	excelsa. Himalayan Pine					
,	2 to 2½ ft	7	50 50			
	3 to 4 ft. with ball	. 20	00			
66	Mugho, Dwarf Mountain Pine	. 3	50			
44	strobus, White or Weymouth Pine					
		. 1	75	15		
	12 to 18 in. 2 to 2½ ft. 5 to 6 ft. with ball. 6 to 8 ft. with ball.	. 20	00	35		
44	strobus nana, Dwarf White Pine	. 22	50	200	00	
	1 to 1½ ft. with ball	.15	00			
44	sylvestris, Scotch Pine 5 to 6 ft, with ball	10	E 0	100	0.0	
Reti	nispora eriocoides	. 14	30	100	00,	
	12 to 18 in	. 3	00	25	00	
"	filifera 2 to 2½ ft. with ball	.10	0.0	90	0.0	
	$2\frac{1}{2}$ to 3 ft. with ball. 3 to $3\frac{1}{2}$ ft. with ball. 4 to 5 ft. with ball	13	50	125		
	4 to 5 ft. with ball	25	00			
46	filifera aurea	12	50			
	1 to $1\frac{1}{2}$ ft. with ball	20	00			
44	Lycopoides 1½ to 2 ft. with ball	12	50			
	5 to 6 ft. with ball	40				

	Per	r 10	Per	100	Per 1000
Retinispora obtusa compacta					
18 to 24 in. with ball. 2 to 2½ ft. with ball. 2½ to 3 ft. with ball. 3 to 3½ ft. with ball.	10 15	0.0		00	
" pisifera 2 to 2½ ft. sheared 2½ to 3 ft. sheared, with ball 5 to 6 ft. sheared, with ball 6 to 7 ft. sheared, with ball 7 to 8 ft. sheared, with ball	10 30 40 50	00 00 00 00 00	50	00	
8 to 9 ft. sheared, with ball 9 to 10 ft. sheared, with ball	60	00			
" pisifera aurea, Golden					
2 to 2½ ft. sheared	30	00 00 00 00 00 00	50	00	
" plumosa					
18 to 24 in. sheared. 2 to 2½ ft. sheared. 2½ to 3 ft. sheared, with ball. 3 to 4 ft. sheared, with ball. 4 to 5 ft. sheared, with ball. 5 to 6 ft. sheared, with ball. 6 to 7 ft. sheared, with ball. 7 to 8 ft. sheared, with ball.	10 13 20 30	00 00 00 50 00 00 00	35 50 90 125 175	00 00 00	
" plumosa aurea, Golden					
12 to 18 in. sheared. 18 to 24 in. sheared. 2 to 2½ ft. sheared. 2 ½ to 3 ft. sheared, with ball. 3 to 4 ft. sheared, with ball. 4 to 5 ft. sheared, with ball. 5 to 6 ft. sheared, with ball. 6 to 7 ft. sheared, with ball. 7 to 8 ft. sheared, with ball.	5 6 10 13 20 30 40	00 00 50 00 00	30 35 50 90 125	00 00 00	
" squarrosa Veitchii					
12 to 18 in. sheared. 18 to 24 in. sheared. 2 to 2½ ft. sheared. 2½ to 3 ft. sheared, with ball. 3 to 4 ft. sheared, with ball. 4 to 5 ft. sheared, with ball.	$\begin{array}{c} . & 5 \\ . & 6 \\ . & 10 \\ \end{array}$		30 35 50 90	00	
" squarrosa Veitchii aurea 2½ ft. sheared, with ball	.25	00			
Rhododendron Catawbiense					
12 to 18 in		0.0			
18 to 24 in	.10 (00			
3 to 5 ft					

Rhododendrons, Hybrids, assorted varieties

We have the following varieties in the various sizes as indicated. They were transplanted last spring and all will carry a good ball of earth. They are fairly well set with flowered buds.

Abraham Lincoln, crimson				
2 to 2½ ft		 	10	0.0
Album Elegans, white				
18 to 24 in		 	- 8	50
2½ to 3 ft		 	15	0.0
3 to 3½ ft				
Album Grandiflorum, white				
18 to 24 in			8	50
2 ½ to 3 ft				
Blandianum, crimson				
18 to 24 in			8	50

100	the second second	Per 10	Per 100	Per 100
	Charles Dickens, crimson 2 to 2 ½ ft			getert i
	Caractacus, crimson 18 to 24 in	. 8 50 .15 00		
	Everestianum, rose 2 to 2½ ft	.10 00		
	General Grant, soft rosy red		,	
	Parson's Gloriosa, rosy white			
	Purpureum Elegans, purplish rose 2 to 2½ ft			
	Purpureum Grandiflorum, purple 2½ to 3 ft			
	President Lincoln, lilac rose			
	Queen, white 2 to 2½ ft			
	Roseum Elegans, pink			
Tax	2½ to 3 ftus baccata aurea, Golden English Y	ew		
"	2 to 2½ ft. with ball	.20 00		
"	baccata pendula, Weeping English			
44	Hibernica, Irish Yew 2½ to 3 ft. with ball			
	Hibernica aurea, Golden Irish Ye 2 to 2½ ft. with ball 3 to 3½ ft. with ball	W .15 00 .20 00		
44	Hibernica variegata 2 to 2½ ft. with ball	.15 00		
Thu	2 to 2½ ft. with ball. 3 ft. with ball. ja Hoveyii, Hovey's Golden Arbor 12 to 18 in 2 ft. with ball.	Vitae		
44	occidentalis. American Arbor Vita	16		
	18 to 24 in. 2 to 2½ ft. with ball. 2½ to 3 ft. with ball. 3 to 4 ft. with ball. 4 to 5 ft. with ball. 4 to 5½ ft. sheared, heavy, with bal	. 2 50 . 3 00 . 4 00 . 6 50 . 9 00 l.16 50 l.18 50	20 00 25 00 35 00 60 00 80 00 150 00 175 00	.*
44			or Vitae	•
	2 to 2½ ft. with ball. 3 to 3½ ft. with ball. 4 to 5 ft. with ball. 5 to 6 ft. with ball. 6 to 7 ft. with ball. 7 to 8 ft. with ball. 8 to 9 ft. with ball.	.12 50 .22 50 .27 50 .35 00 .40 00	.,	
44	occidentalis diobosa. American G	lobe Al	bor Vit	ae .
44	12 to 18 in	. 3 50	30 00	
••	occidentalis pyramidalis, Pyramid 3 to 3½ ft. with ball. 4 to 5 ft. with ball.	. 6 50 . 9 00	60 00 80 00	
"	occidentalis spiralis 2 to 3 ft. with ball			
66	occidentalis Vervaeneana, Golden	Variega	ated	
	18 to 24 in 2 to 2½ ft. with ball	.10 00		

Per 10	Per 100 Per 1000
Thuja occidentalis Victoria, Silver Tipped 4 to 5 ft. with ball	
" German Globe Arbor Vitae 12 to 18 in	30 00
" (Biota) Orientalis, Chinese Arbor Vitae	30 00
3 to 3½ ft. with ball 6 00 3½ to 4 ft. with ball 8 50 5 to 6 ft. with ball 10 00 6 to 7 ft. with ball 15 00	50 00 .
" (Biota) Orientalis Elegantissima, Rollis 2 to 3 ft, with ball	ston's Golden
" (Biota) Orientalis nana aurea, Berckman 12 to 18 in	s type 40 00 60 00
"Siberica, Siberian Arbor Vitae 12 to 18 in	30 00 40 00
2 to 2½ ft. with ball 9 00 2½ to 3 ft. with ball 10 00 3 to 4 ft. with ball 12 50 4 to 5 ft. with ball 15 00 5 to 6 ft. with ball 20 00 6 to 7 ft. with ball 25 00 7 to 8 ft. with ball 27 50	100 00
Yucca filamentosa, Adam's Needle 4 year 75 5 year 85	6 00 7 00

Vines and Climbers

For Fall planting, our "pot-grown vines" are much more desirable than field grown stock. They have been established in pots all Summer, they are heavily rooted, and are less likely to "heave out" by frost in the Winter. We introduced this method of growing vines many years ago and customers now prefer it to field-grown stock for Fall work. When shipping, we knock them out of the clay pots and send in paper pots.

Per 10 Per 100 Per 1000

Actinidia arguta				
2 to 3 ft	50 50	20 0	0	
Akebia quinata				
5 in. pots 2	50	20 0	0	
Ampelopsis Veitchii, Japan or Boston Ivy				
2 to 3 ft. 3 year	25	10 0	0	
5 in. pots 2	50	20 0	0	
" Virginica (quinquefolia), Virginia Cre	eper			
2 year	75	6 0	0	
5 in. pots 2	50	$\begin{smallmatrix} 6 & 0 \\ 20 & 0 \end{smallmatrix}$	0	
Aristolochia Sipho, Dutchman's Pipe				
7 in. pots 4	0.0			
Bignonia capreolata (Tecoma), Evergreen	Tru	mpe	t Vine	
5 in. pots 2				
" radicans, Trumpet Creeper				
2 year	90	8 0	0	
3 year 1		9 0		0.0
4 year heavy	25	10 0		
5 in. pots 2	20	20 0	()	

Bignonia radicans grandiflora	Pe	r 10	Per	100	Per 1000
3 year heavy	1 3	75 50		00	
Celastris articulatus, Japanese Staff Vin				••	
2 year	1	25	$\frac{10}{12}$	00	
2 year. 3 year, heavy. 5 in. pots.	$\frac{1}{2}$	35 50	12	00	
" punctatus					
2 to 3 ft. 2 year. 4 to 5 ft. 3 year.	1	00			
	1	50			
" scandens, Staff Vine 2 to 3 ft. 2 year	1	0.0	8	00	
Clematis crispa					
6 in. pots	2	50	20	00	
" paniculata					
3 year	1 2	$\frac{25}{50}$	$\frac{10}{20}$		
Decumaria barbara	~	00	~ 0		
5 in. pots	2	50	20	00	
Dioscorea batatas, Chinese Yam					
5 in. pots	2	50			
Dolichos Japonicus	9	0.0	95	0.0	
5 in. pots	9	00	25	00	
Euonymus radicans, Green-leaved	1	25	11	۵٥	100 00
18 to 24 in 2 to 3 ft 18 to 24 in. 5 in. pots	1	75	11 15	00	100 00
	2	50	20	00	
" radicans variegata 6 to 12 in		90	8	00	
19 to 18 in	7	25	10	0.0	190 00
2 to 3 ft	$\frac{1}{2}$	50	$\frac{15}{20}$		120 00
Hedera Helix, English Ivy					
3 to 4 ft. 5 in. pots	2	50	20	00	
Humulus lupulus, Hop Vine	0	F.0			
5 in. pots		50			
Jasminum nudiflorum, Yellow Jessamine 5 in. pots		50	20	00	
" officinale, White Jessamine					
5 in. pots	2	50	20	00	
Lonicera brachypoda, Evergreen Honeys	uc	kle			
5 in. pots	2	50	20	00	
" brachypoda aurea, Golden Honeys	uck	(le	7	00	
2 year 5 in. pots	2	50	20		
" Halleana, Hall's Honeysuckle					
2 year		85	7	00	
" flava, Yellow Coral	4				
2 to 3 ft	1	50			
" sinensis, Chinese Honeysuckle 3 year		85	7	00	
Lycium barbarum, Matrimony Vine					
2 year		85	7	00	60 00
Menispermum Canadense, Moon Seed		- /			
		50	12		
Roses, Climbing, Creeping and Pillar (Se	e	page	23)		
Tecoma radicans (See Bignonia radicans	s,	page	33)		
Vitis Cordifolia		7.5		0.0	
3 year strong 5 in. pots	2	75 50	$\frac{6}{20}$	00	

	Per 10	Per 100	Per 1000
Vitis heterophylla variegata			
2 year	75	5 00	
3 to 4 ft. 3 year	1 25	10 00	
5 in. pots	, 2 50	20 00	
" riparia			
3 to 4 ft. 3 year heavy	1 50	12 00	
Wistaria frutescens, American Gly	/cine		
5 year heavy			
5 to 6 ft. 6 in. pots	5 00	35 00	
" sinensis, Chinese Blue Wist	aria		
2 to 3 ft. heavy, 3 year	1 75	15 00	
3 to 4 ft. heavy, 4 year	2 00	18 00	
" sinensis alba, Chinese White 2 to 3 ft. grafted			

Hardy Herbaceous Perennials, Ornamental Grasses and Ferns

The following is a list of stock we can supply in quantity. In addition, our immense collections contain many choice kinds not here mentioned.

Send us your list of wants and let us quote upon them.

We aim to grow only first class stock and send out neither old clumps of low vitality nor microscopic divisions, but young, vigorous plants that will give immediate results.

Our standard, where kind will allow, is one year, field grown.

	Per 10	Per 100
Achillea Eupatorium, yellow, July	80	6 00
" Millefolium roseum, rose, July to Sept	80	6 00
" Ptarmica plena, "The Pearl," white,		
double, July	80	6 00
" tomentosa, golden yellow, July	80	6 00
Aconitum napellus, "Monkshood," blue, Aug.		
and Sept	1 00	8 00
Aegopodium podagraria variegata, variegated		
foliage	80	6 00
Agrostemma coronaria, crimson, June	80	6 00
Ajuga genevensis, blue, May	80	6 00
" reptans, blue, May	80	5 00
Alyssum argenteum, yellow, May	80	6 00
" saxatile compactum, golden yellow, May	80	6 00
Amsonia salicifolia, blue, June		8 00
" tabernaemontana, clear blue, June		8 00
Anchusa Italica, dark blue, June to Sept	1 00	8 00
Anemone Japonica alba, white, Sept. to Nov	80	6 00
" Japonica rosea, rose, Sept. to Nov	80	6 00
" Japonica, "Queen Charlotte," La France,	00	0 00
pink, Sept. to Nov	80	6 00
" Japonica, Whirlwind, white, Sept. to Nov	80	6 00
" Japonica Rubra (Brilliant), Sept. to Nov	80	6 00
Anthemis tinctoria, yellow, July	80	6 00
" tinctoria pallida, white, July	80	6 00
Anthericum liliastrum, white, June	80	6 00
Aquilegia Canadensis, scarlet, May and June	. 80	6 00
" coerulea, blue and white, May	. 80	6 00
" chrysantha, yellow, June	80	6 00
" flabellata nana alba, large white, June	80	6 00
masonata mana ansa, marge white, June	00	0 00

Per 10	Per 100
Aquilegia Skinneri, red and yellow, May 1 00	8 00
" vulgaris, blue and purple, May 80	6 00
" vulgaris fl. pl., various, May 80	6 00
" vulgaris alba, white, May 80	6 00
Arabis albida, white, April	6 00
Armeria maritima splendens, pink, May 1 00	8 00
" plantaginea, pink, May	6 00
Artemisia Abrotanum, "Old Man"	6 00
pontica, Old Woman, Silver lonage 80	5 00
" Dracunculus, "Tarragon"	6 00 6 00
Asclepias tuberosa, orange, July	8 00
Aster alpina, bright purple, June and July 80	6 00
" amethystinus, large pale blue, Sept 1 00	8 00
Aster Novae Angliae, purple 80	6 00
" Novae-Angliaea rosea, rose, Sept 1 00	8 00
" Mrs. F. W. Raynor, rose, Sept 1 00	8 00
" Novi-Belgii Robert Parker, pale blue, Sept. 1 00	8 00
" Novi-Belgii St. Brigid, lavender, Sept 1 00	8 00
novi-beight top sawyer, lavenuer, sept., I ou	-8 00
Novi-Beigh White Queen, white, Sept I of	8 00
" pyrenaicus, white, July and August 1 00 " Tataricus, light purple, late fall 80	8 00 6 00
Baptisia Australis, blue, June	8 00
Belamcanda Chinensis, red orange, Aug. to Sept. 80	5 00
Bellis perennis, "English Daisy," various colors 60	5 00
Betonica orientalis, pink, July 1 00	8 00
" rosea, dwarf, pleasing pink, July 1 00	8 00
Bocconia cordata, buff, June to August 1 00	8 00
Boltonia latisquama, pale pink, Aug. to Sept 80	5 00
Campanula carpatica alba, white, July and Sept. 1 00	8 00
" carpatica, blue, July to Sept 1 00	8 00
" glomerata, blue, June 1 00	8 00
" grandis, blue, July	8 00
fatirona macrantna, blue, June 1 00	8 00
medium Canterbury Bens, blue, May	8 00
and June	8 00 8 00
" medium Calycanthema, blue, May, June. 1 00	8 00
" persicifolia, blue, June and July 1 00	8 00
" persicifolia alba, white, June and July 1 00	8 00
" pyramidalis, blue, August 1 00	8 00
" rotundifolia, light blue, June 1 00	8 00
Cassia Marylandica, yellow, July and August 80	. 6 00
Centaurea dealbata, yellow, Aug. and Sept 1 00	8 00
" Montana, blue, June and July	8 00
mgra variegata, golden yellow, variegated	9 00
foliage 1 00	8 00
Cerastium tomentosum, Mouse Ear, white, April and May	6 00
Chrysanthemums, hardy. Assortment of best	0 00
varieties, 4 in. pots	8 00
Chrysanthemum, Shasta Daisy, white, June to	
Sept 80	6 00
Clematis Davidiana, blue, August 1 00	8 00
" recta, white, July 1 00	8 00
Convallaria majalis (Lily of the Valley), white,	
spring, clumps 2 00	15 00
Coreopsis lanceolata grandiflora, golden yellow,	
summer	6 00
" rosea, rose, Sept. and Oct	6 00
semiona, yenow, sury	6 00
Coronilla varia, pink, June and Aug 80	6 00

Per 10	Per 100
Delphinium Chinense, blue and white, Chinese Larkspur, June to August	8 00
" elatum, English Hybrids, shades of blue,	0 00
June to Aug 1 00	8 00
" formosum, Indigo, July 1 00	8 00
Dianthus barbatus, Sweet William, many colors, May and June	5 00
" plumarius, double, May and June 1 00	8 00
" Her Majesty, double white, May and June 1 00	8 .00
" Lord Lyons, deep pink, May and June 1 00	8 00
" Mrs. Sinkins, white, May and June 1 00	8 00
" variabilis, white, maroon mark, May and June	8 00
Dicentra formosa, pink, July and Aug 1 00	8 00
" spectabilis, pink, April and May 1 00	8 00
Dictamnus fraxinella, red, June1 50" fraxinella alba, white, June1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
Digitalis grandiflorus, yellow, June to July 1 00	8 00
" lanata, greyish white, June 1 00	8 00
" purpurea, purple, May and June 1 00	8 00
" purpurea alba, white, May and June 1 00	8 00
Doronicum plantagineum excelsum, yellow, April and June	8 00
Echinacea purpurea, pink, July	8 00
Echinops stricta, steel blue, July and Aug 1 00	8 00
Epimedium alpinus, pink, April	$\begin{array}{cccc} 12 & 50 \\ 12 & 50 \end{array}$
" Muschianum, rosy red, April	12 50
Eupatorium ageratoides, white, Sept	8 00
Euphorbia corollata, white, Sept	8 00
Funkia coerulea, blue, July	8 00
" aurea variegata, variegated foliage 1 00 " cordifolia, blue, August	8 00 8 00
" Japonica, blue, August	8 00
" lancefolia, blue, July 80	6 00
" ovata marginata, variegated foliage 1 00	8 00
" subcordata grandiflora, white, August 1 00 " undulata variegata, white foliage 1 00	8 00 8 00
Gaillardia grandiflora, yellow and crimson 80	6 00
" grandiflora compacta, yellow and crimson,	
July to Sept	6 00
Geranium pratense, purple, May	8 00
" sanguineum, red, June to Sept 1 00	8 00
Geum coccineum, scarlet, June and July 1 00	8 00
Gysophila cerasticides, white, June 1 00	8 00
" paniculata, "Baby's Breath," white, July	
and August	8 00
" repens	
clear yellow, August	6 00
" grandicephalium striatum, yellow striped	
with brown, August	6 00
a respective orange, may remain a con-	8 00
Helianthus decapetalus multiflorus Soliel d'Or, double, yellow, Aug. and Sept 1 00	8 00
" doronicoides, yellow, July and August 80	6 00
" giganteus, yellow, August and Sept 80	6 00
" laetiflorus, yellow, August and Sept 80	6 00
" Maximilliana, yellow, Sept. and Oct 80 " Mollis, yellow, August 80	6 00
" orgyalis, yellow, September 80	6 00
" rigidus, "Miss Mellish," yellow, August 80	6 00

F	er 10	Per 100
Heliopsis Pitcheriana, orange, June to August.	80	6 00
Hemerocallis Dumortierii, orange, June		8 00
" flava, lemon yellow, June		8 00
// # 1 3 A 1	1 00	8 00
" fulva fl. pl., bronze, double, August		8 00
" rutilans, orange, May and June		8 00
"Thunbergii, yellow, July and August		8 00
manbergii, jenow, sary and Adgust		
Hesperis matronalis, pink and lilac, May	80	6 00
Hibiscus Crimson Eye	75	6 00
Hollyhocks, double, separate colors, June to		
August	1 00	8 00
Hyacinthus candicans, white, August	50	3 00
Iris Cengialti, deep lavender, May and June	80	6 00
" Florentina, white, May	80	6 00
" Germanica, best assortment of varieties	80	6 00

LIST OF IRIS GERMANICA

Canary Bird, yellow
Coelestine, lavender
Innocence, lavender and white
Jewell, dwarf. dark purple
Josephine, purple
Lady Alice, lavender and purple
Lady Stumpp, blue and lavender
La Tendre, buff and purple
Mad. Chereau, lavender and white
Orange Gem, dwarf orange yellow
Silver King, white
Yolande, deep purple

" laevigata (Kaempferi) Japanese, best as-				
sortment of varieties, July	2	00	15	00
" pallida speciosa, indigo, May	_	80		00
" pumila, various, April		80	6	00
" Siberica orientale, indigo blue, June	1	00		00
" stenophylla, blue, June		80	-	00
" tectorum, lavender, June	1	00	8	00
Lamium purpureum variegatum, pink, May		80	5	00
Lathyrus grandiflorus, pink and white, June to				
August	1	00	10	00
Lavandula vera, lavender, July and Aug	1	00	8	00
" spica, lavender, July and August	1	00	8	00
Liatris pycnostachia, purple, August and Sept		80	6	00
" spicata, purple, Aug. and Sept		80	6	00
Lilium candidum, "Annunciation Lily," white,				
June	1	00	8	00
" auratum, Gold-banded of Japan, white,	_			0.0
spotted, July		00	_	00
elegans, yellow, July and August	1	00	-	00
" speciosum album, white, August and Sept. " speciosum roseum, rose, August and Sept.	1		_	00
" superbum, orange red, July and August	_	75	_	00
" tigrinum splendens, "Tiger Lily," orange			ŭ	
spotted, August		75	5	00
I to one the Torne		0.0	C	00
Linum perenne, blue, June		80		00
Lobelia cardinalis, scarlet, Aug. and Sept	1	00	_	00
Lotus corniculatus, yellow, June to Oct		60 80	_	00
Lychnis chalcedonica, scarlet, July "Flos-cuculi, red, May		80	_	
" Flos-Jovis, scarlet, May		80	_	00
" viscaria splendens, red, July		80		00

	_			
Lysimachia clethroides, white, July to Sept	Pe	r 10 80	Per 1	00
" verticillata, yellow, July		80	6	
" vulgaris, yellow, August		80	6	00
Lythrum salicaria, purple, June and July		80	6	00
" Japonicum elatum, purplish red, June and				
July		80	•	00
" roseum superbum, purple, June and July		00		00
Mentha crispa, "Crested Mint"		00		00
" viridis, "Spearmint"		00	8	00
Monarda didyma splendens, scarlet, Aug. and		00		00
Sept		80	_	00
" fistulosa purpurea, purple, Aug. and Sept		80		00
" Mollis, pink, Aug. and Sept	1		10	-
Montbretia crocosmiflora, orange, July and Aug.		50	3	00
Myosotis palustris semperflorens, "Forget-me-			1, 1117	
not," blue, April and May		00	8	00
Nepeta Glechoma variegata, blue, April and May		50	4	00
Oenothera Missouriensis, yellow, July and Aug.		80	6	00
" speciosa, large white, June and July		80	6	00
" Youngii, yellow, June to Sept		80	6	00
Opuntia Rafinesqui, "Cactus," yellow, June	1	00	8	00
Pachysandra terminalis, Evergreen, whitish, May	1	00	8	00
Paeonia Moutan, Tree Paeonia	7	50		
" Festiva Maxima, pure white. Very large.	2	50	20	00
" Louis Van Houtte, brilliant crimson				
maroon	1	75	15	00
Nobilissima, very line, large, bright deep	3	0.0	95	00
pink, silvery border. Late	9	50	25 20	
" officinalis rubra fl. pl., Early Crimson	2	50	20	
" sinensis. Fine assortment of varieties	1	35	12	
The and and and a full district		-		-

LIST OF VARIETIES.

Agida, dark red
Alba Plena, sweet white
Anemone fl. Rubra, dark crimson
Bagni, red
Bossuet, red
Carnea Alba, flesh white
Canary, white, yellow centre
Duke of Wellington, yellowish white
Edulus Alba, flowers white, cream centre
Edulus Superba, violet rose
Faust, lilac pink
Grandiflora Rosea, light rose
Jean D'Arc, white
La Perle, beautiful pale pink
Magnifica, white, tinged with red
Modest Guerin, rosy purple
Odorata, yellowish white
Pulcherima Alba, pure white
Queen Victoria, white rose
Sapho, dark red
Thorbecki, pale pink, centre deep pink

Papaver nudicaule, white	1	00	- 8	00
" nudicaule, yellow	1	00	8	00
" nudicaule, orange	1	00	8	00
Passiflora incarnata, light blue, Aug. and Sept.,				
4 in. pots		00	8	00
Pentstemon diffusus, blue, June		80 .	6	00
" digitalis, white, July			6	00
Phlox decussata, best assortment of varieties	1	00	8	00

LIST OF PHLOX DECUSSATA

Aurora Borealis, orange red, purple centre
Brilliant, salmon scarlet, crimson eye
Carran de Ache, rosy carmine
Coquelicot, fine pure scarlet, with deep carmine eye
Champs Elysees, rich purplish crimson
Elizabeth, deep pink, crimson eye
Epopee, violet, bright fiery centre
Eugene Danzanvilliers, lilac, shading white
Gen. Chunzy, salmon scarlet
Independence, large pure white
La Vagne, beautiful combination of rosy pink and lavender
L'Evenement, salmon pink
L'Esperance, bright lilac
Mad. P. Langier, bright red, vermillion centre
Princess Louise, white, small pink eye
Richard Wallace, white, crimson centre
Terre Neuve, lilac, crimson centre
J. H. Slocombe, fiery crimson, dark eye
William Robinson, tall, salmon pink

William Robinson, tall, salmon plac	Pe	r 10	Per 100
Physostegia denticulata, lilac, July and August.		80	6 00
" Virginica, lilac, Aug. and Sept		80	6 00
" Virginica alba, white, Aug. and Sept	1	00	8 00
Plantago maxima, white, July	1	00	8 00
Platycodon grandiflora, blue, July to Oct	1	00	8 00
" grandiflora album, white, July to Oct	1	00	8 00
" Mariesii, blue, dwarf, July to Oct	1	00	8 00
Polemonium reptans, blue, May		80	6 00
" Richardsoni, blue, May		80	6 00
Polygonum cuspidatum, white, August, Sept		80	6 00
Primula polyanthus, various, April	1	00	8 00
Pyrethrum Balsamita, fragrant foliage		80	6 00
" roseum, shades of pink and red, May and			
June	1	00	8 00
" uliginosum, white, Aug. and Sept	1	00	8 00
Ranunculus acris fl. pl., yellow, May and June		60	5 00
Rudbeckia fulgida, golden yellow, July and Aug.		80	- 6 00
" laciniata, Golden Glow, yellow, Aug. and			
Sept		80	6 00
" Newmanni, golden yellow, July and Aug		80	6 00
" sub-tomentosa, golden yellow, July and			
August		80	6 00
Ruta graveolens	1	00	8 00
Salvia azurea grandiflora, blue, Aug	1	00	8 00
" nutans, blue, June and July	1	00	8 00
Sanguinaria canadensis, white, April and May		50	4 00
Santolina incana		80	6 00
Saponaria officinalis, pinkish white, Aug. and			
Sept		80	6 00
" ocymoides, white, May and June		80	6 00
Sedum album, Stonecrop, white, Aug. and Sept.		80	6 00
" cruciatum		80	6 00
" Kamptschaticum, yellow, July and Sept		80	6 00
" Hispanicum, pink, June and July		80	6 00
nybridum, yellow, buly and Sept		80	6 00
sexangulare, yellow, June and July		80	6 00
speciabilis, pink, Aug. and Sept	14	80	6 00
Spiraea astilboides, white, May	1		8 00
infiperiodia ii. pi., white, may	1	00	8 00
Japonica, white, may	1	00	8 00
iobata-venusta, pink, June	1	00	8 00
multinora compacta, white, may and June		00	
" palmatum, pink, June" " ulmaria alba plena, double white, June and	1	00	8 00
dimaria alba piena, double white, June and		80	6 00
July Statice latifolia, lavender, August	1	00	8 00
" Gmelini, lavender, August	1		8 00
Stokesia cyanea, blue, July to Sept	1	80	6 00
Otorcola cyalica, blue, July to Sept		00	0 00

	Dan 1/	Dom 100
	Per 1	9 Per 100 8 00
Thalictrum aquilegifolium roseum, pink, June	1 00	8 00
" adiantifolium, handsome foliage " glaucum, handsome foliage	1 00	8 00
Thermopsis Caroliniana, yellow, June	1 00	8 00
Thymus Serpyllum, pink, May and June	80	6 00
" Serpyllum splendens, pink, May and June.	80	6 00
" Serpyllum variegata, golden variegata	80	6 00
" vulgaris, pink	80	6 00
Tradescantia Virginica alba, white, May, July.	80	6 00
" Virginica purpureum, purple, May to July	80	6 00
" Virginica, blue, May to July	80	6 00
Tritoma uvaria Tuckii, brown red, June to Aug.	1 00	8 00
" uvaria Express, coral and yellow, August.	1 00	8 00
" uvaria grandiflora, red and yellow, Aug	1 00	8 00
" uvaria Pfitzeri, coral, July to Oct	1 00	8 00
Valeriana officinalis, pinkish, May and June	1 00	
Vernonia Jamesii, purple, Aug. and Sept	1 00	8 00
Veronica candida, silvery foliage, blue flowers,	00	
June and July	80	
circacolucs, blue, dune	80	6 00
riendersoni (longitona subsessins), bide,	1 25	10 00
August		8 00
" teucrium, blue, June		
Viola, "Californian"	1 00	
" odorata Blue, "Sweet Violet," April and	1 00	0 00
May	1 00	8 00
" odorata White, "Sweet Violet," April and		
May	1 00	8 00
" odorata "Czar," blue, April and May	1 00	8 00
HARDY FERNS		
	75	5 00
Aspidium acrostichoides, "Christmas Fern"	75 75	
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern"		5 00
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern"	75	5 00 5 00
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern"	75 75	5 00 5 00 5 00
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern"	75 75 75	5 00 5 00 5 00
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort"	75 75 75 75	5 00 5 00 5 00 5 00
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort" Onoclea sensibilis, "Sensitive Fern"	75 75 75 75 75 75	5 00 5 00 5 00 5 00 5 00 5 00
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort" Onoclea sensibilis, "Sensitive Fern" " Struthiopteris "Ostrich Fern"	75 75 75 75 75 75	5 00 5 00 5 00 5 00 5 00 5 00 5 00 5 00
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort" Onoclea sensibilis, "Sensitive Fern" " Struthiopteris "Ostrich Fern" Osmunda cinnamomea, "Cinnamon Fern"	75 75 75 75 75 75 75 1 00	5 00 5 00 5 00 5 00 5 00 5 00 5 00 8 00
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort" Onoclea sensibilis, "Sensitive Fern" " Struthiopteris "Ostrich Fern" " Osmunda cinnamomea, "Cinnamon Fern" " Claytoniana, "Flowering Fern"	75 75 75 75 75 75 75 1 00 1 00	5 00 5 00 5 00 5 00 5 00 5 00 5 00 8 00 8
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort" Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern" " vulgare, "Rock Polypod"	75 75 75 75 75 75 75 1 00 1 00 75	5 00 5 00 5 00 5 00 5 00 5 00 5 00 8 00 8
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort" Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod" " regalis, "King Fern".	75 75 75 75 75 75 75 75 1 00 1 00 75 1 00	5 00 5 00 5 00 5 00 5 00 5 00 5 00 8 00 8
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern". " spinnulosum. " Thelyptera, "Lady Fern". Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum.	75 75 75 75 75 75 75 75 1 00 75 1 00 75	5 00 5 00 5 00 5 00 5 00 5 00 5 00 8 00 8
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort" Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod" " regalis, "King Fern".	75 75 75 75 75 75 75 75 1 00 1 00 75 1 00	5 00 5 00 5 00 5 00 5 00 5 00 5 00 8 00 8
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern". " spinnulosum. " Thelyptera, "Lady Fern". Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum Pteris aquilina, Brake or Braken.	75 75 75 75 75 75 75 75 1 00 75 1 00 75	5 00 5 00 5 00 5 00 5 00 5 00 5 00 8 00 8
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern" " Struthiopteris "Ostrich Fern" Osmunda cinnamomea, "Cinnamon Fern" " Claytoniana, "Flowering Fern" " vulgare, "Rock Polypod" " regalis, "King Fern" Polypodium hexagonopterum Pteris aquilina, Brake or Braken HARDY GRASSES	75 75 75 75 75 75 1 00 1 00 75 1 00 75	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern". " spinnulosum. " Thelyptera, "Lady Fern". Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". " Struthiopteris "Ostrich Fern". " claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo donax, Grant Reed.	75 75 75 75 75 1 000 75 1 000 75 75	5 00 5 00 5 00 5 00 5 00 5 00 5 00 8 00 8
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern". " spinnulosum. " Thelyptera, "Lady Fern". Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo donax, Grant Reed. Bambusa Metake, Evergreen Bamboo.	75 75 75 75 75 75 1 00 1 00 75 75 2 50 2 50	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort" Onoclea sensibilis, "Sensitive Fern" " Struthiopteris "Ostrich Fern" Osmunda cinnamomea, "Cinnamon Fern" " claytoniana, "Flowering Fern" " vulgare, "Rock Polypod" " regalis, "King Fern" Polypodium hexagonopterum Pteris aquilina, Brake or Braken HARDY GRASSES Arundo donax, Grant Reed Bambusa Metake, Evergreen Bamboo Calamagrostis stricta variegata	75 75 75 75 75 75 75 75 1 000 75 75 2 50 2 50 1 00	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern". " spinnulosum. " Thelyptera, "Lady Fern". Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo donax, Grant Reed. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata Erianthus ravennae.	75 75 75 75 75 75 1 000 1 000 75 75 2 500 2 500 1 000	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00 5 00 5 00 20 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern" " spinnulosum. " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". " Struthiopteris "Ostrich Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo donax, Grant Reed. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata Erianthus ravennae. Eulalia Japonica, False Pampas Grass.	75 75 75 75 75 75 75 75 1 000 1 000 75 75 2 500 2 500 1 000 1 000	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00 5 00 5 00 20 00 8 00 9 00 10 00
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern". " spinnulosum. " Thelyptera, "Lady Fern". Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". " Struthiopteris "Ostrich Fern". " claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo donax, Grant Reed. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata Erianthus ravennae. Eulalia Japonica, False Pampas Grass. " Japonica gracillima	75 75 75 75 75 75 75 75 1 000 75 75 2 50 2 50 1 000 1 50 1 50 1 50 1 50 1 50 1 50	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00 5 00 5 00 20 00 8 00 9 00 10 00 10 00
Aspidium acrostichoides, "Christmas Fern" " cristatum, "Crested Shield Fern" " marginale, "Marginal Fern" " spinnulosum " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort" Onoclea sensibilis, "Sensitive Fern" " Struthiopteris "Ostrich Fern" " Claytoniana, "Flowering Fern" " vulgare, "Rock Polypod" " regalis, "King Fern" Polypodium hexagonopterum Pteris aquilina, Brake or Braken HARDY GRASSES Arundo donax, Grant Reed Bambusa Metake, Evergreen Bamboo Calamagrostis stricta variegata Erianthus ravennae Eulalia Japonica, False Pampas Grass " Japonica gracillima " Japonica variegata, green and white striped " Japonica Zebrina, green barred with	75 75 75 75 75 75 1 00 75 1 00 75 75 75 1 00 1 00 1 00 1 00 1 50 1 00 1 50 1 00 1 50 1 00 1 50 1 00 1 0	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00 5 00 5 00 20 00 8 00 8 00 10 00 10 00 10 00
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern" " spinnulosum. " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". " Struthiopteris "Ostrich Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo donax, Grant Reed. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata Erianthus ravennae. Eulalia Japonica, False Pampas Grass. " Japonica gracillima " Japonica variegata, green and white striped " Japonica Zebrina, green barred with bronze, yellow	75 75 75 75 75 75 1 00 75 1 00 75 75 75 1 00 1 00 1 00 1 00 1 50 1 00 1 50 1 00 1 50 1 00 1 50 1 00 1 0	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00 5 00 5 00 20 00 8 00 8 00 10 00 10 00 10 00
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern". " spinnulosum	75 75 75 75 75 75 75 75 1 00 75 75 1 00 75 75 1 00 1 50 1 50 1 50	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00 5 00 5 00 20 00 8 00 10 00 10 00 10 00
Aspidium acrostichoides, "Christmas Fern". " cristatum, "Crested Shield Fern". " marginale, "Marginal Fern" " spinnulosum. " Thelyptera, "Lady Fern" Asplenium angustifolium, "Narrow-leaved Spleenwort". Onoclea sensibilis, "Sensitive Fern". " Struthiopteris "Ostrich Fern". " Struthiopteris "Ostrich Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo donax, Grant Reed. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata Erianthus ravennae. Eulalia Japonica, False Pampas Grass. " Japonica gracillima " Japonica variegata, green and white striped " Japonica Zebrina, green barred with bronze, yellow	75 75 75 75 75 75 75 75 1 00 75 75 1 00 75 75 1 00 1 50 1 50 1 50	5 00 5 00 5 00 5 00 5 00 5 00 8 00 8 00 5 00 5 00 20 00 8 00 10 00 10 00 10 00



Hibiscus Syriacus Meehani Variegata

(New Single-flowered Variegated-leaved Althæa.)

HE old variegated-leaved Althæa is one of our best shrubs where a plant with colored foliage is required, but unfortunately the flowers do not open, consequently the general flowering effect is lost.

This new variety far surpasses the old form in as much as the flowers, though single, open completely, and the color, which is of a purplish red, makes a strong contrast to the yellowish white variegation of the foliage.

Visitors to our nurseries declare this to be one of the best introductions in the

horticultural field in recent years, and we have already booked numerous orders

from those who have seen the plant growing on our grounds.

The above illustration shows the free-blooming character of this plant. The flowers are larger than the other varieties of Althæa. The plant is as hardy as the

old variegated-leaved form.

This will doubtless be a profitable plant for all nurserymen, dealers and agents to handle. Illustrated circulars and colored plates will be furnished to those in the trade at prices below cost. Half-tone illustrations in various sizes, both small and large, suitable for use in catalogues will be furnished without cost to customers who order plants from us.

Sample colored plates, circulars and proof of these half-tone cuts, also terms on same will be sent upon application.

For sizes and prices of plants see page 18 of this catalogue,

Thomas Meehan @ Sons, Inc. Wholesale Department Dreshertown, Montg. Co., Pa.